

ASSA ABLOY PRODUCT FINDER 2.1



Experience a safer
and more open world

ASSA ABLOY
Opening Solutions

Account details	
My Account Code	
My eSHOP Login	
My 334 Engraving/s	
My 201/17SC Engraving/s	
My 570 Engraving/s	
My Gen6 Profile/s	
My Gen6 Key Blank Code/s	
My RBA/RCA Key Blank Code/s	
My ANZLA Key Blank Code/s	
BLACK text means product should be in stock at any given time. BLUE text means product is assembled or 'Made To Order' from our factory on a 1-5 day lead time, depending on item. (Non returnable) RED text means product is 'Purchase To Order' from overseas supplier. (Non returnable)	
<i>The product information in this Product Finder is a guide to give you direction towards pricing and technical information in eSHOP. All information is correct at time of printing but may be subject to change. Please check eSHOP for up to date product information.</i> <i>This product finder does not capture the complete ASSA ABLOY range. For further information please refer to eSHOP.</i>	

ASSA ABLOY Brands:



ABLOY

HENDERSON



Whitco®



WINDOWS

1 - 4	Window Fasteners & Accessories
5 - 6	Safety Stays
7 - 9	Aluminium Window Stays
10	Whitco Timber Stays
11 - 13	Whitco Spiral Balances
14 - 15	Additional Security

PADLOCKS

16 - 21	Commercial Padlocks
21 - 25	Domestic Padlocks
25 - 26	Padlock Accessories

DOOR FURNITURE

27 - 32	Commercial Brass Door Furniture
33	Artefact 162 x 162mm
34 - 36	Velocity
37 - 38	Stainless Steel Pull Handles
39	Yale Simplicity - Stainless Steel Furniture

DOOR LOCKS

40 - 41	Synergy Mortice Locks
42	Selector MKII
43	Selector MKI - Narrow
44	Synergy Selector Accessories
45 - 47	Mechanical Digital Locks
48 - 56	KNK, KNL & Deadbolts
57 - 60	Door Closers
60	OTC & Floor Springs
61	Fluid - Panic Exit Devices
62 - 64	Rim Locks
65 - 67	Union Mortice Locks
68 - 69	Screen Door Hardware
70 - 72	Short Backset Mortice Locks (590)
73 - 80	Residential Mortice Lock & Accessories - 25/30/40/50/60

SLIDING

81 - 83	Endeavour Surface Mount Locks & Accessories
84	SBML Locks & Accessories
85	Mawson & Albany
86 - 87	Aria Pinnacle & Optimum
88	Cavity Locks & Flush Pulls
89 - 91	Short Backset Mortice Locks (591)


**DIGITAL /
ELECTROMECHANICAL**

92 - 94	Yale Digital Locks & Accessories
95	Electric Mortice Locks
96	Mag Locks
97	SMARTair Standalone
98	Electric Strikes
99	CLIQ Overview
100	V Lock - 351 - ML5000 Cabinet Locks
101	Cortex

**CYLINDERS / KEYING /
GENERAL HARDWARE**

102 - 104	570 Cylinders, Extensions and Cams
105 - 107	Euro Cylinders
107	Kawneer & Nightlatch (17's) Cylinders
108	Gen6/Gen6T
109	ANZLA - RBA/RCA
110	Cupboard Locks & Cam Locks
111	Door Stops & Rollers
112	Toilet Indicators & Bolts
113	Twinbolt Bifold
114	Pinnacle Bifold
115	Flush Bolts
116	Stainless Steel Hinges
117 - 118	Patio Bolts
119 - 120	Safes & Key Boxes

Wedgeless - Face Fix 6mm

	LOW Profile		HIGH Profile		LOCKING	
						
Black	321B	320B	331B	330B	346B	345B
Popular powdercoat	321P	320P	331P	330P	346P	345P
Special powdercoat	321SPEC	320SPEC	331SPEC	330SPEC	346SPEC	345SPEC
Display pack*	MC321B	MC320B	MC331B	MC330B	MC346B	MC345B


Styleline - Face Fix

	LOW Profile		SINGLE Tongue		DOUBLE Tongue	
						
Black	243B	242B	205B	204B	241B	240B
Popular powdercoat	243P	242P	205P	204P	241P	240P
Special powdercoat	243SPEC	242SPEC	205SPEC	204SPEC	241SPEC	240SPEC
Display pack*	MC243L	MC242R	MC205L	MC204R	MC241L	MC240R

Aria Wedgeless - Face Fix 6mm

	LOW Profile		HIGH Profile		OPPOSING Tongue	
						
Black	521B	520B	531B	530B	541B	540B
Popular powdercoat	521P	520P	531P	530P	541P	540P
Special powdercoat	521SPEC	520SPEC	531SPEC	530SPEC	541SPEC	540SPEC
Satin Chrome	521SC	520SC	531SC	530SC	541SC	540SC
Display Pack*			MC531B	MC530B	MC541B	MC540B

Aria Helix Seal - Face Fix

	LOW Profile		HIGH Profile		Double Tongue	
						
Black	651B	650B	631B	630B	641B	640B
Popular powdercoat	651P	650P	631P	630P	641P	640P
Special powdercoat	651SPEC	650SPEC	631SPEC	630SPEC	641SPEC	640SPEC
Satin Chrome	651SC	650SC	631SC	630SC	641SC	640SC

Wedgeless - Sub Fix 6mm

	LOW Profile		HIGH Profile		LOCKING	
						
Black	421B	420B	431B	430B	446B	445B
Popular powdercoat	421P	420P	431P	430P	446P	445P
Special powdercoat	421SPEC	420SPEC	431SPEC	430SPEC	446SPEC	445SPEC
Display pack*	MC421B	MC420B	MC431B	MC430B	MC446B	MC445B

Styleline - Sub Fix

	LOW Profile		SINGLE Tongue		DOUBLE Tongue	
						
Black	273B	272B	275B	274B	271B	270B
Popular powdercoat	273P	272P	275P	274P	271P	270P
Special powdercoat	273SPEC	272SPEC	275SPEC	274SPEC	271SPEC	270SPEC
Display pack*	MC273L	MC272R	MC275L	MC274R	MC271L	MC270R

STYLELINE VERTICAL FIX BASE PACKER	8721B	
------------------------------------	-------	---

The 8721 is used in conjunction with the Sub Fix handles to replace the obsolete "Top Fix" or "Vertical Fix" handles. Included with Styleline Display Pack Sub Fix handles.

Screws

Face fix screw	504S		Sub fix screw	8013	
----------------	------	---	---------------	------	---

AVON - Please see eSHOP for a complete range of Avon Fastener Options

			
8601B Avon 9mm Non Locking	8602B Avon 13mm Non Locking	860B Avon 9mm Locking	896B Avon Timber 17mm Locking

* Display pack comes with 2 screws per pack


Adhesive Wedge		2mm	3mm	4mm
				
10's	BLACK	8714B	8713B	2695B
10's	P - Popular Colour	n/a	8713P	2695P
10's	Special Colour	8714SPEC	8713SPEC	2695SPEC
Display Pack 5's		MC8714B	MC8713B	MC2695B

Standard Pin Wedge		3mm	4mm	5mm
				
10's	BLACK	8711B	2693B	2641B
10's	P Popular Colour	8711P	2693P	n/a
10's	Special Colour	8711SPEC	2693SPEC	2641SPEC

Non-Standard Pin Wedge		3mm	3.5mm	3.5mm Narrow	4mm	4.2mm	7.8mm
							
10's	BLACK	8710B	2611B	2612B	2631B	2661B	2692B
10's	Special Colour	n/a	2611S	2612SPEC	2631S	2661SPEC	n/a

Standard Rivet Wedge		3mm	4mm
			
10's	BLACK	2682B	2621B
10's	Special Colour	2682SPEC	2621SPEC

Non - Standard Rivet Wedge		3mm	6.5mm	8mm	9.5mm
					
10's	BLACK	8712B	2694B	2671B	2651B
10's	Special Colour	n/a	n/a	n/a	2651SPEC

Commercial Keeper		Ventilation Wedge	
BLACK	50090	BLACK	505B
Special Colour	50090SPEC	Special Colour	505SPEC

Wedgeless Accessories		
	Flap for Wedgeless Concealed fixing options - SPEC	396SPEC
	Wedgeless FLUSH Flap	397SPEC
	SUB FIX Wedgeless Base Cover - BLK	8722B
	SUB FIX Wedgeless Base Cover - P Colour	8722P
	FACE FIX Wedgeless Base Cover - BLK	8723B
	FACE FIX Wedgeless Base Cover - P Colour	8723P
	Screw for FACE FIX Handles	504S
	Screws for SUB FIX Handles 200's	8013
	Spare Key for Locking Wedgeless and Avon	8761
	Aria Helix Base Cover	690B
		690P
		690SPEC
		690SC

Aluminium Window Restrictor Stays - Suitable for casement and awning sashes			
	Description	Trade Pack Part Number	Display Pack Part Number
	Restrictor Stays - 1 Pair - inc Screws and Packers		P1097C
	Restrictor Stays - 2 Pair - Inc Screws and Packers		P1097C4
	Restrictor Stays - 20 Pair only	P1097A	
	Restrictors Stays - 100 Pair only	P1097	
	Restrictor Stays - 20's only -inc Screws and Packers	P1097LS	
	Packer for P1097/each	P1097P	

Aluminium Window Safety Stays - Suitable for casement and awning sashes (screws not included. Select correct screw after making packer selection to suit installation.)			
	Description	Trade Pack Part Number	Display Pack Part Number
	BLK - Aluminium - 1 stay		P388B
	BLK - Aluminium - 4 stays		P388B4
	BLK - Aluminium - 20's only	P388BLS	
	White - Aluminium - 1 stay		P388W
	White - Aluminium - 4 stays		P388W4
	White - Aluminium - 20's only	P388WLS	
	Silver - Aluminium - 1 stays		P388S
	Silver - Aluminium - 20's only	P388SLS	
	P (Popular) Colour - Aluminium - 1 Stay	P388PLS	
	Special (all other powdercoat) Colour - Aluminium - 1 Stay	P388SPECLS	
	Key for Securistay	C2394	

Securistay Screws			
	Description	Jar 200	10 pack
	Securistay Aluminium Screws 8mm	P68SS	MC68SS
	Securistay Aluminium Screws 10mm	P610SS	MC610SS
	Securistay Aluminium Screws 12.5mm	P6125SS	MC6125SS
	Securistay Aluminium Screws 14.5mm	P6145SS	MC6145SS

Aluminium Window Guardian Stays - Suitable for awning sashes, screws included			
	Description	Trade Pack Part Number	Display Pack Part Number
	Guardian Stay Aluminium - BLK	SYGABLS	SYGABDP / SYGAB2DP (twin)
	Guardian Stay Aluminium - White	SYGAWLS	SYGAWDP / SYGAW2DP (twin)
	Guardian Stay Aluminium - Silver	SYGASLS	SYGASDP / SYGAS2DP (twin)
	Guardian Stay Aluminium - P Colour	SYGAPLS	
	Guardian Release Tool	SYGTOOL	
	Guardian Aluminium Screw Pack	SYGASCR	
	Guardian Cover	SYGCOV#	
	Guardian Packer	SYGPAC#	

Black Powdercoat specified above, please check eSHOP for availability of differing 'finish' options eg P or SPEC Powdercoat

Timber Window Safety Stays - Suitable for casement and awning sashes (screws included)


	Description	Trade Pack Part Number	Display Pack Part Number
	White - Timber - 1 stay		P348W
	White - Timber - 4 stays		P348W4
	White - Timber - 20's only	P348WLS	
	Brown - Timber - 1 stay		P348BR
	Brown - Timber - 20's only	P348BRLS	
	Key for Securistay	C2394	
	Timber screws - 200's	M1159	

Timber Window Guardian Stays - Suitable for awning sashes, screws included

	Description	Trade Pack Part Number	Display Pack Part Number
	Guardian Stay Timber - White	SYGTWLS	SYGTWDP / SYGTW2DP(twin)
	Guardian Stay Timber - P Colour	SYGTPLS	
	Guardian Stay Timber - SPEC Colour	SYGTSPECLS	
	Guardian Release Tool	SYGTOOL	
	Guardian Aluminium Screw Pack	SYGTSCR	
	Guardian Cover	SYGCOV#	
	Guardian Packer	SYGPAC#	

Awning Options - direct retrofit		
	Description	Part Number
	240 CHH STD FRICTION STAY	P362B
	330 CHH STD FRICTION STAY	P363B
	430 CHH STD FRICTION STAY	P364B
	440 CHH HD FRICTION STAY	P568B

Aluminium Packer Options - Add to A stays for retrofit			
	Description	Packer Code	Stay Code
	Casement 300 4BC - CHH replacement (P170B)	P1120CHH	P1120
	230A - CHH Replacement (P362B)	P1560CHH	P1560B
	230V - Low Friction - CHH Replacement (P366B)	P1560CHH	P509B
	230NF- Non Friction - CHH Replacement (P409B)	P1560CHH	P1559B
	330A - CHH Replacement (P363B)	P1561CHH	P1561B
	500A - CHH Replacement (P364B)	P1530CHH	P1530B
	420HDA - CHH Replacement (P568B)	P1553CHH	P1553B

Plastic Packer Options - Add to A stays for retrofit			
	Description	Packer Code	Stay Code
	Casement 300 4BC - CHH replacement (P170B)	P1120CHHPP	P1120
	230A - CHH Replacement (P362B)	P1560CHHPP	P1560B
	230V - Low Friction - CHH Replacement (P366B)	P1560CHHPP	P509B
	230NF- Non Friction - CHH Replacement (P409B)	P1560CHHPP	P1559B
	330A - CHH Replacement (P363B)	P1561CHHPP	P1561B
	500A - CHH Replacement (P364B)	P1530CHHPP	P1530B
	420HDA - CHH Replacement (P568B)	P1553CHHPP	P1553B

A Series Friction Stays - Suitable for Awning Windows

	Description	Trade Pack Part Number	Display Pack Part Number
	230A - Standard Friction	P1560B	P1560BDP
	230V - Low Friction	P509B	
	230NF - Non Friction	P1559B	
	330A - Standard Friction	P1561B	P1561BDP
	420HDA - Heavy Duty	P1553B	P1553BDP
	500A - Standard Friction	P1530B	P1530BDP
	check eSHOP for technical specifications		

Nexus High Capacity Stays - Suitable for Awning Windows

	Description	Trade Pack Part Number
	240A - Standard Friction	P240A
	240H - High Friction	P240H
	240N - Non Friction	P240N
	340A - Standard Friction	P340A
	340H - High Friction	P340H
	450H - High Friction	P450H
	710H - High Friction	P710H
	check eSHOP for technical specifications	

4B Stainless Steel Stays - Suitable for Awning Windows

	Description	Trade Pack Part Number
	200 4BV - Low Friction	P1001
	200 4B - Standard Friction	P1002
	200 4B NF - Non Friction	P1002NF
	350 4B - Standard Friction	P1003
	350 4B NF - Non Friction	P1003NF
	500 4B - Standard Friction	P1004
	500 4B NF - Non Friction	P1004NF
	check eSHOP for technical specifications	

4BC - Casement Stays - Suitable for Casement Windows		
	Description	Trade Pack Part Number
	230 4BC - 90 degree opening	P1090
	230 4BC NF - Non Friction - 90 degree opening	P1090NF
	230 4BC R - Restricted - 77 degree opening	P1090R
	300 4BC - 56 degree opening	P1120
	430 4BC - 90 degree opening	P1080
	430 4BC NF - Non Friction - 90 degree opening	P1080NF
check eSHOP for technical specifications, Casement cavities vary from awning		

Casement Restrictor		
	Description	Trade Pack Part Number
	Casement Restrictor*	P1102

Heavy Duty Stays

HD6 - Heavy Duty Awning Stays - Suitable for Awning Windows		
	Description	Trade Pack Part Number
	300 HD6	P1532B
	450 HD6	P1533B
	600 HD6	P1534B
	750 HD6	P1535B
	900 HD6	P1536B
	check eSHOP for technical specifications, HD6 cavities vary from standard sashes	

Whitco Standard Stays - 25mm Track Width - Suitable for Awning & Casement Windows

	Description	Trade Pack Part Number
	200mm - Passivated Zinc - Silver	LW010301
	200mm - Passivated Zinc - Silver - Non Friction	LW010401
	300mm - Passivated Zinc - Silver	LW010701
	400mm - Passivated Zinc - Silver	LW011101
	500mm - Passivated Zinc - Silver	LW011501
	200mm - Stainless Steel	LW010304
	300mm - Stainless Steel	LW010704
	400mm - Stainless Steel	LW011104
	500mm - Stainless Steel	LW011504

Whitco Narrow Stays - 21mm Track Width - Suitable for Awning & Casement Windows

	Description	Trade Pack Part Number
	200mm - Passivated Zinc - Silver	LW020301
	300mm - Passivated Zinc - Silver	LW020701
	400mm - Passivated Zinc - Silver	LW021101
	500mm - Passivated Zinc - Silver	LW021501
	200mm - Stainless Steel	LW020304
	300mm - Stainless Steel	LW020704
	400mm - Stainless Steel	LW021104
	check eSHOP for technical specifications and availability	

Whitco Balances						
	Balance Number	Balance has no attached foot. Select required foot and accessory kit. Tension key required for adjustable foot.	Body Length	Weight Range 1 - 2.25 to 7.25kg	Weight Range 2 - 7.25 to 10kg	Weight Range 3 - 10 to 14kg
	110	With No Foot	292			
	200	With No Foot	318	LW612001017		
	220	With No Foot	343	LW612201017		
	240	With No Foot	368	LW612401017		
	260	With No Foot	394	LW612601017		
	280	With No Foot	419	LW612801017		
	210	With No Foot	445	LW612101017		
	300	With No Foot	470	LW613001017		
	320	With No Foot	495	LW613201017		
	340	With No Foot	521	LW613401017		
	360	With No Foot	546	LW613601017		
	380	With No Foot	572	LW613801017		
	310	With No Foot	597	LW613101017		
	400	With No Foot	622	LW614001017		LW614003017
	420	With No Foot	648	LW614201017	LW614202017	LW614203017
	440	With No Foot	673	LW614401017	LW614402017	LW614403017
	460	With No Foot	699	LW614601017	LW614602017	LW614603017
	480	With No Foot	724	LW614801017	LW614802017	LW614803017
	410	With No Foot	749		LW614102017	LW614103017
	500	With No Foot	775	LW615001017	LW615002017	LW615003017
	520	With No Foot	800		LW615202017	LW615203017
	540	With No Foot	826		LW615402017	LW615403017
	560	With No Foot	851		LW615602017	LW615603017
	580	With No Foot	876		LW615802017	LW615803017
	510	With No Foot	902		LW615102017	LW615103017
	600	With No Foot	927		LW616002017	LW616003017
	620	With No Foot	953		LW616202017	LW616203017
	640	With No Foot	978		LW616402017	LW616403017
	660	With No Foot	1003		LW616602017	LW616603017
	680	With No Foot	1029		LW616802017	LW616803017
	610	With No Foot	1054		LW616102017	LW616103017
	700	With No Foot	1080		LW617002017	LW617003017
	720	With No Foot	1105			LW617203017

Balance Accessories		
	Adjustable Foot	LW615100
	TFD Foot	LW615200
	Tension Key	LW492700
	Accessory Kit - Top and Bottom Stop, fixing screws	LW492900

Whitco Balances						
	Balance Number	Standard foot attached to Balance, inc top and bottom stop & fixing screws.	Body Length	Weight Range 1 - 2.25 to 7.25kg	Weight Range 2 - 7.25 to 10kg	Weight Range 3 - 10 to 14kg
	110	With Standard Foot	292	LW611101117		
	200	With Standard Foot	318	LW612001117		
	220	With Standard Foot	343	LW612201117		
	240	With Standard Foot	368	LW612401117		
	260		394			
	280	With Standard Foot	419	LW612801117		
	210	With Standard Foot	445	LW612101117		
	300	With Standard Foot	470	LW613001117		
	320	With Standard Foot	495	LW613201117		
	340	With Standard Foot	521	LW613401117		
	360	With Standard Foot	546	LW613601117		
	380	With Standard Foot	572	LW613801117		
	310	With Standard Foot	597	LW613101117		
	400	With Standard Foot	622	LW614001117	LW614002117	LW614003117
	420	With Standard Foot	648	LW614201117	LW614202117	LW614203117
	440	With Standard Foot	673		LW614402117	LW614403117
	460	With Standard Foot	699	LW614601117	LW614602117	LW614603117
	480	With Standard Foot	724	LW614801117	LW614802117	LW614803117
	410	With Standard Foot	749	LW614101117	LW614102117	LW614103117
	500	With Standard Foot	775	LW615001117	LW615002117	LW615003117
	520	With Standard Foot	800		LW615202117	LW615203117
	540	With Standard Foot	826		LW615402117	LW615403117
	560	With Standard Foot	851		LW615602117	LW615603117
	580	With Standard Foot	876		LW615802117	LW615803117
	510	With Standard Foot	902		LW615102117	LW615103117
	600	With Standard Foot	927		LW616002117	LW616003117
	620	With Standard Foot	953		LW616202117	LW616203117
	640	With Standard Foot	978		LW616402117	LW616403117
	660	With Standard Foot	1003		LW616602117	LW616603117
	680	With Standard Foot	1029		LW616802117	LW616803117
	610	With Standard Foot	1054		LW616102117	LW616103117
	700	With Standard Foot	1080		LW617002117	LW617003117
	720	With Standard Foot	1105		LW617202117	LW617203117

check eSHOP for availability and technical specifications with regards to choosing the right balance and Pre-Tension Turns required.
Replacing an existing balance? Select the correct Body Length and size.


Sash Lock		Trade Pack	Display Pack
	Face Fix - Cyl 4 - Black	MC76C4BLKLS	MC76C4BLK
	Face Fix - Cyl 4 - P Colour	MC76C4PLS	
	Face Fix - Cyl 4 - SPEC Colour	MC76C4SPECLS	
	Sub Fix - Cyl 4 - Black	MC78C4BLKLS	MC78C4BLK
	Sub Fix - Cyl 4 - P Colour	MC78C4PLS	
	Sub Fix - Cyl 4 - SPEC Colour	MC78C4SPECLS	
	KA Groups - 102, 162 , 435, 762		
Midi Bolt		Trade Pack	Display Pack
	Midi Bolt Cyl 4 - Black		MC92C4BLK
	Midi Bolt Cyl 4 - White		MC92C4W
	Midi Bolt Cyl 4 - Brown		MC92C4BR
	Midi Bolt Cyl 4 - Silver		MC92C4S
	KA Groups - 102, 162 , 435, 498, 762		
Push Lock		Trade Pack	Display Pack
	PushLock Cyl 4 - Black	MC93C4BLKLS	MC93C4BLK
	PushLock Cyl 4 - Brown	MC93C4BRLS	MC93C4BR
	PushLock Cyl 4 - Silver	MC93C4SLS	MC93C4S
	PushLock Cyl 4 - White	MC93C4WLS	MC93C4W
	KA Groups - 102, 162 , 435, 498, 762		
Sliding Window Lock		Trade Pack	Display Pack
	Ventlock Cyl 4 - Black	LW2201316C4	
	Ventlock Cyl 4 - White	LW2201317C4	
Multi Bolt		Trade Pack	Display Pack
	Multi bolt Cyl 4 - White	LW2205316C4	
	Multi bolt Cyl 4 - Black	LW2205317C4	

	Press Lock	Trade Pack	Display Pack
	Press Lock Cyl 4 - White	MC81C4WLS	MC81C4W
	Press Lock Cyl 4 - Black	LW2208117C4	

	Window & Door Bolts	Trade Pack	Display Pack
	Window Bolt with Spline Key - Polished Brass		MC14PB
	Window Bolt with Spline Key - White		MC14W
	Window Locking Bolt - 6 Pack - Polished Brass		SY6P119-6
	Door Bolt with Spline Key - Polished Brass		MC11PB
	Door Bolt with Spline Key - White		MC11W
	Spline Key for MC11 and MC14		11KEY
	Hingebolt		MC10

	Door Chains	Trade Pack	Display Pack
	Securichain - Satin Chrome		MC41SC
	Securichain - Florentine Bronze		MC41FB
	Safety Door Chain - Satin Chrome		MC30SC
	Safety Door Chain - Florentine Bronze		MC30FB
	Safety Door Chain - Polished Brass		MC30PB
	Door Guard - Polished Brass		MC715PB
	Door Guard - Satin Chrome		MC715SC

	Door Viewers	Trade Pack	Display Pack
	30-50mm Door Viewer 200 degree - Satin Chrome	96SC	MC96SC
	30-50mm Door Viewer 200 degree - Polished Brass	96PB	MC96PB
	33-50mm Door Viewer - Fire Rated AS1905.1 - Chrome Plate		L160CPDP
	33-50mm Door Viewer - Fire Rated AS1905.1 - Polished Brass		160PBDP
	Commercial Door Viewer 40 - 95mm Door Thickness		UWS9-CH



Specifications					
Part Number	Dimensions (mm)				
	A	B	C	D	E
334B45/125	45	55	8.7	25	22
334B45/148	45	55	8.7	48	22
334B45/190	45	55	8.7	90	22

45mm Brass Body, Rekeyable 570 Plug, 8.7mm Shackle				
	Boron Shackle	KD	KA	DP
	25mm	L334B45/125/6KD	L334B45/125/6KA 334B45/125/6KA01 334B45/125/6KA02	334B45/125/NDP
	48mm	L334B45/148/6KD	L334B45/148/6KA	334B45/148/NDP
	90mm	L334B45/190/6KD	L334B45/190/6KA	334B45/190/NDP
	25mm less plug	L334B45/125/LP		
	less plug/less shackle	L334B45/LPLS		
	Brass Shackle	KD	KA	
	25mm	L334B45/225/6KD	L334B45/225/6KA	
	48mm	L334B45/248/6KD	L334B45/248/6KA	

334 Accessories					
	Shackle Options	25mm	38mm	48mm	90mm
	Boron	LPT334-125	LPT334-138	LPT334-148	LPT334-190
	Brass	LPT334-225		LPT334-248	n/a
	Chrome Molybdenum	LPT334-525		LPT334-548	LPT334-590
	Stainless Steel	LPT334-625	LPT334-638	LPT334-648	LPT334-690


	334 Chain Retaining Collar	LPT334-SRC
	334 Weather Cover	L334B45/WC#
	B=Blue G= Green Y= Yellow R= Red W= White	
	Quick Change Shackle Jig	334B45JIG

45mm Stainless Steel Body, Rekeyable 570 Plug, 8.7mm Shackle				
	Stainless Shackle	KD	KA	DP
	25mm	L334M45/625/6KD	L334M45/625/6KA	334M45/625/NDP
	48mm	L334M45/648/6KD	L334M45/648/6KA	334M45/648/NDP
	90mm	L334M45/690/6KD	L334M45/690/6KA	334M45/690/NDP

Lockwood Steel 334 Series Padlocks


45mm Solid Steel Case, Rekeyable 570 Plug, 8.7mm Shackle				
	Chrome Molybdenum	KD	KA	DP
	25mm	L334S45/525/6KD	L334S45/525/6KA	334S45/525/NDP
	48mm	L334S45/548/6KD	L334S45/548/6KA	n/a
	90mm	L334S45/590/6KD	L334S45/590/6KA	334S45/590/NDP
	Closed Shackle			334C45/519/NDP

Lockwood 356 Series Padlocks



Specifications					
Part Number	Dimensions (mm)				
	A	B	C	D	E
356S63/525	63	56	11	25	32
356S63/550	63	56	11	50	32

63mm Stainless Steel Body, rekeyable 570 plug, 11mm Stainless (Marine, M) or Chrome Molybdenum (Stainless Steel, S) shackles			
	Stainless Steel	KD	KA
	25mm	L356M63/625/5KD	L356M63/625/5KA
	50mm	L356M63/650/5KD	L356M63/650/5KA
	Chrome Molybdenum	KD	KA
	25mm	L356S63/525/5KD	L356S63/525/5KA
	50mm	L356S63/550/5KD	L356S63/550/5KA




Specifications					
	Dimensions (mm)				
Part Number	A	B	C	D	E
270S70/125	70	66	14	25	33

70mm Steel Body, with rekeyable 570 plug, 14mm Chrome Molybdenum Shackle

	Shackle	KD	KA	
	25mm	L270S70/125/6KD	L270S70/125/6KA	


Lockwood 290 Monoblock



Specifications						
	Dimensions (mm)					
Part Number	A	B	C	D	E	F
290S84/120	96	69	14.5	21.8	35	110

Monoblock, with rekeyable 570 plug, 14.5mm Chrome Molybdenum Shackle (Cylinder on opposite end to bolt)

	KD	KA	
	L290S84/120/6KD	L290S84/120/6KA	




Product Details– Dimensions					
	A	B	C	D	E
312##19	29	34	4.8	19	16
312##38	29	34	4.8	38	16
312##50	29	34	4.8	50	16

Shackle	KA	KD	Components - DIY
19mm SS	L312EL19/##/KA	L312EL19/##/KD	L312EL19/LS - jacket not included
38mmSS	n/a	n/a	L312EL38/LS - jacket not included
50mm SS	L312EL50/##/KA	L312EL50/##/KD	L312EL50/LS - jacket not included
50mm Brass	L312EL250/##/KA	L312EL250/##/KD	L312EL250/LS - jacket not included



For KA and KD options ## Specify Jacket colour BK - Black BL - Blue GR - Green OR - Orange RD- Red WH - White YE - Yellow			
	LSP312/BK	312 BLACK JACKET	
	LSP312/BL	312 BLUE JACKET	
	LSP312/GR	312 GREEN JACKET	
	LSP312/OR	312 ORANGE JACKET	
	LSP312/PU	312 PURPLE JACKET	
	LSP312/RD	312 RED JACKET	
	LSP312/WH	312 WHITE JACKET	
	LSP312/YE	312 YELLOW JACKET	

PINS	
LSP232-20	BOTTOM PIN NO 4 (250's)
LSP232-21	BOTTOM PIN NO.5 (250's)
LSP232-22	BOTTOM PIN NO.6 (250's)
LSP232-23	BOTTOM PIN NO.7 (250's)
LSP232-24	BOTTOM PIN NO.8 (250's)
LSP232-25	BOTTOM PIN NO.9 (250's)
LSP232-26	BOTTOM PIN NO.10 (250's)
LSP232-33	TOP PIN (250's)
LSP232-36	PIN SPRING (250's)




Specifications

Part Number	Dimensions (mm)				
	A	B	C	D	E
214A40/619	40	52	5.0	19	21
214A40/650	40	52	5.0	50	21
215A40/619	40	52	6.4	19	20
215A40/650	40	52	6.4	50	20

Rekeyable, Aluminium Body, 570 Plug, Stainless Steel Shackle

	19mm (5mm)	L214A40/619/6KD
	50mm (5mm)	L214A40/650/6KD
	19mm (6.4mm)	L215A40/619/6KD
	50mm (6.4mm)	L215A40/650/6KD
	214 & 215 PLASTIC JACKET RED	LSP214/11
	214 & 215 PLASTIC JACKET ORANGE	LSP214/12
	214 & 215 PLASTIC JACKET GREEN	LSP214/14
	214 & 215 PLASTIC JACKET BLUE	LSP214/15
	214 & 215 PLASTIC JACKET PURPLE	LSP214/16
	214 & 215 PLASTIC JACKET WHITE	LSP214/17
	214 & 215 PLASTIC JACKET BLACK	LSP214/18



Product Details– Dimensions

	A	B	C	D	E
225/40/119	38	38	6.4	19	19.5

Zinc Diecast Body, Hardened Steel Shackle



225 - KA to 144

L225/40/119/KA

225 - KD

L225/40/119/KD

225 - Unassembled

L225/40/119/LS

225 - Random KA

L225/40/119/RKA

Yale 110 Series Padlocks

Solid brass body, hardened steel shackle, display pack, 3 keys per pack

	15mm	20mm	30mm	40mm	50mm
		Y110B/20/111/1	Y110B/30/115/1	Y110B/40/122/1	Y110B/50/126/1
		Y110B/20/111/2	Y110B/30/115/2	Y110B/40/122/2	
	Y110B/15/111/4				

Yale 120 Series Padlocks

Satin chrome plated solid brass body, Boron steel shackle, display pack, 3 keys per pack


	40mm	50mm	60mm	70mm
	Y120B/40/125/1	Y120B/50/127/1	Y120B/60/135/1	Y120B/70/141/1

Yale Other

Satin chrome plated solid brass body, hardened steel shackle, display pack, 3 keys per pack



Y124B/60/110/1



Specifications

Part Number	Dimensions (mm)				
	A	B	C	D	E
110/20/111	20	20.0	3.2	11	10
110/25/115	25	24.5	4.0	15	13
110/30/119	30	27.0	4.8	19	18
110/35/121	35	29.5	5.5	21	19
110/40/123	40	32.5	6.4	23	22

Key Blanks For Lockwood 110 Padlocks	
LKB110/20	For 20mm
LKB110/25	For 25mm
LKB110/30	For 30mm
LKB110/40	For 40mm



Brass Body, chrome plated hardened steel shackles


	20mm	25mm	30mm	35mm	40mm	50mm
	110/20/111/NDP	110/25/115/NDP	110/30/119/NDP	110/35/121/NDP	110/40/123/NDP	110/50/127/NDP
					110/40/163/NDP	110/50/180/NDP
	110/20/111/2NDP	110/25/115/2NDP	110/30/119/2NDP		110/40/123/2NDP	
	110/20/111/4NDP	110/25/115/4NDP			110/40/123/4NDP	

Keyed Alike Groups

	20mm	25mm	30mm	35mm	40mm	50mm
	L110/20/111/KA2 KA2 = 232	L110/25/115/KA2 KA2 = 0114	L110/30/119/KA2 KA2 = 0090		L110/40/123/KA2 KA2 = 1726	L110/50/127/KA2 KA2 = 01315
		L110/25/115/KA3 KA3 = 0153	L110/30/119/KA3 KA3 = 0332		L110/40/123/KA4 KA4 = 1148	
			L111/30/119/KA3 KA3 = 5302		L111/40/123/KA4 KA4 = 5403	
					L110/40/163/KA2 KA2 = 1726	

Marine Options - with brass shackle			
	25mm	30mm	40mm
	110/25/215/BNDP	110/30/219/BNDP	110/40/223/BNDP
		110/30/219/B2NDP	110/40/223/B2NDP
		110/30/219/B4NDP	

Lockwood 120 Series Padlocks



Specifications					
	Dimensions (mm)				
Part Number	A	B	C	D	E
120N/30/118	30	30	5.0	18	17.0
120N/30/150	30	30	5.0	50	17.0
120N/30/180	30	30	5.0	80	17.0
120N/35/123	35	32	6.4	23	18.0
120N/40/125*	40	37	7.1	25	21.0
120N/40/150	40	37	7.1	50	21.0
120N/40/180	40	37	7.1	80	21.0
120N/45/127	45	41	8.0	27	22.5
120N/50/132*	50	46	9.5	32	25.5
120N/60/135	60	50	10.0	35	35.0

Key Blanks For Lockwood 120 Padlocks	
LKB120/30	For 30mm
LKB120/40	For 40mm
LKB120/50	For 50mm



		Single	Twin	Quad	Extended # 1	Extended # 2	KA Groups - no jacket
30mm Light Blue		120N/30/118/DP	120N/30/118/2DP	120N/30/118/4DP	120N/30/150/DP	120N/30/180/DP	L120/30/150/KA2 KA2 = 4542
35mm Purple		120N/35/123/DP					
40mm Red		120N/40/125/DP	120N/40/125/2DP	120N/40/125/4DP	120N/40/150/DP	120N/40/180/DP	L120/40/125/KA2 KA2 = 11311 L120/40/125/KA3 KA3 = 35314
45mm Green		120N/45/127/DP					
50mm Dark Blue		120N/50/132/DP			120N/50/163/NDP		L120/50/132/KA2 KA2 = 00232 L120/50/163/KA4 KA4 = 04210 long shackle
60mm Grey		120N/60/135/DP					

		YALE		LOCKWOOD
25mm		Y150B/22/120/1		150/25/118/NDP
30mm		Y150B/30/125/1		150/30/125/NDP
40mm		Y150B/40/130/1		150/40/130/NDP
50mm		SY126/50/127/1		
		SY140/50/122/1*		140/50/122/NDP

Travel (TSA) Padlocks

	YALE		LOCKWOOD
	SYTP1/32/119/1		L155/30/120BLKDP
	SYTP5/31/223/1		

Disk Padlocks

	YALE		LOCKWOOD
	SY130/70/116/1		130/70/120/NDP

Laminated Padlocks

	YALE		LOCKWOOD
	SY127/45/125/1 SY127/55/129/1		119/30/117/NDP 119/40/122/NDP 119/50/129/NDP

* On RUNOUT only available while stocks last

	Slide Cover - 45mm	SY227/45/122/1*
	Slide Cover - 55mm	SY227/55/126/1*
	Plastic Boot & Shackle Sleeve - 51mm	SY220/51/118/1*
	Plastic Boot & Shackle Sleeve - 61mm	Y220B/61/123/1
	Plastic Boot & Shackle Sleeve - 71mm	Y220B/71/130/1

Cables

		YALE			LOCKWOOD
	8mm x 2m	SYCBL1/8/200		8mm x 1.2m	LPA/51/1200/DP
	8mm x 3m	SYCBL1/8/300		10mm x 1.2m	LPA/52/1200/DP
					10mm x 2m
	Resettable Combo 8mm x 1.2m	SYCCL1/8/120/1		Preset combo 8mm x 1.5m	LPA/55/1500/DP
				Resettable Combo 10mm x 1.2m	LPA/56/1200/DP

Chains

	Manganese Hardened Steel - 10mm x 900mm	SYCHL1/10/90/F
	Manganese Hardened Steel - 8mm x 900mm	SYCHL1/8/90/F

* On RUNOUT only available while stocks last

	Surface Mounted with Shackle cover - LH	LPA/11/70/DP
	Surface Mounted with Shackle cover - RH	LPA/12/70/DP
	Non Handed - Surface Mount Plates	LPA/13/70/DP
	Non Handed - Side Mount Plates	LPA/14/70/DP
	Pivoting Hasp & Staple	LPA/25/105/DP
	120mm	LPA/21/120/DP
	90mm	LPA/21/90/DP
	Heavy Duty 190mm	LPA/21/190/DP
	Hasp + 40mm padlock	SY110/40/123/1/HSP

Others

	12mm diameter U lock - Shackle clearance 198 x 108mm	SYUL1/12/20/1
	Anchor - 60mm	SY730/60/23/1
	Adjustable - 50mm Padlock	SY110/50/155/1*

* On RUNOUT only available while stocks last

Brass Door Furniture



External Plates



L4801/70SC



L4801/20SC



L4805/70SC



L4800SC

Internal Plates



L4901/70SC




L4905/70SC



L4904/70SC

Plate Dimensions



ALTERNATIVE SCREWS

LSP1800-108	M4x65mm
LSP1800-608ZP	M4x120mm

Brass Door Furniture



ASSA ABLOY

External Plates



L1801/70SC



L1805/70SC



L1814/70C

Internal Plates



L1901/70SC



L1905/70SC




L1904/70SC



1941/70SC

Plate Dimensions




L1800SC




L1807SC




20 Knob




47 Lever




59 Lever




70 Lever




74 Lever




76 Lever




77 Lever




90 Lever




97 Lever




101 Lever




102 Lever




104 Lever




106 Lever




111 Lever




102 Lever




115 Lever




116 Lever




118 Lever




122 Lever




123 Lever




124 Lever




131 Lever




132 Lever




133 Lever




142 Lever




144 Lever




145 Lever




153 Lever




155 Lever



166 Lever



178 Lever



180 Lever

RF800 Series Plate Door Furniture



ASSA ABLOY

External Plates



LRF800SC



LRF801 / ##SC



LRF805 / ##SC



LRF814 / ##SC

Internal Plates



LRF901 / ##SC



LRF904 / ##SC



LRF905 / ##SC



RF941/70SC



RF916/70SC

Note: 70 Lever shown, replace ## with desired lever option.

Lever Options

Standard









Plate Dimensions



Tier 1



20 Knob

1220 & 1420 & 1360 & 1370 Symphony brass . All Cylinder Escutcheons Supplied With 2 Short & 2 Medium Wood Screws, Turns With Screws And 3 Tailbar Lengths, And Emergency Turns With Screws And Emergency Tailbar.

	1220		1420		1360		1370	
Oval		L1226/ISC		L1426/ISC		1366/ESC		1376/ESC
Turn		L1227/INSC		L1427/INSC		1367/INSC		1377/INSC
Indicating Turn		L1227/IPSC		L1427/IPSC		1367/IPSC		1377/IPSC
Indicating Emergency		1228/IPSC		L1428/IPSC		1368/IPSC		1378/IPSC
Emergency		1228/INSC		L1428/INSC		1368/INSC		1378/INSC
Disabled Turn		1229/INSC		1429/INSC		1369/INSC		1379/INSC
Disabled Indicating Turn		1229/IPSC		1429/IPSC		1369/IPSC		1379/IPSC

Lockwood commercial back to back round rose sets

1220 Series	1420 Series	1360 Series	1370 Series
L1220/1221/70SC	L1420/1421/70SC	L1360/1361/70SC	L1370/1371/70SC

ESCUTCHEONS -Back to back sets to suit Selector and 6260 Privacy Bolt ASSA ABLOY

Supplied with 2 x 64mm M4 screws

Turns supplied with 3 tailbar lengths, and Emergency Turns with emergency tailbar.

1220 Series					1420 Series				
Outside		Inside				Inside			
									
		1226/6SC				1426/6SC			
		1226/7NSC	1228/7NSC	1228P/7NSC		1426/7NSC	1428/7NSC	1428P/7NSC	
		1226/7PSC		1228/7PSC		1426/7PSC		1428/7PSC	
		1226/9NSC	1228/9NSC	1228P/9NSC		1426/9NSC	1428/9NSC	1428P/9NSC	
		1226/9PSC		1228/9PSC		1426/9PSC		1428/9PSC	
1370 Series					1360 Series				
Outside									
		1376/6SC				1366/6SC			
		1376/7NSC	1378/7NSC	1378P/7NSC		1366/7NSC	1368/7NSC	1368P/7NSC	
		1376/7PSC		1378/7PSC		1366/7PSC		1368/7PSC	
		1376/9NSC	1378/9NSC	1378P/9NSC		1366/9NSC		1368P/9NSC	
		1376/9PSC		1378/9PSC		1366/9PSC		1368/9PSC	



6260 Privacy Bolt - Suitable for through fixing of disabled turns, and emergency indicating turns. Kit includes fixing screws and strike.



6260SSS

6260PB

6260PSS

See page 36 For Velocity Escutcheon options. See eSHOP for more 'finish' options.

M4 Screws, suits door thickness 35 - 45mm, for use with Synergy and Selector.



Artefact - Square Corners (162 X 162 X 2mm)

Artefact - Radiused Corners (162 X 162 X 2mm)

EXTERNAL

		CYLINDER + LEVER		
L20001NA/96LSS	L20001NA/96RSS		L20201NA/96LSS	L20201NA/96RSS
		PLAIN + LEVER		
L20005NN/96LSS	L20005NN/96RSS		L20205NN/96LSS	L20205NN/96RSS
		EMERGENCY INDICATING TURN + LEVER		
L20014NN/96LSS	L20014NN/96RSS		L20214NN/96LSS	L20214NN/96RSS
		PLATE ONLY		
L20007NNSS			L20207NNSS	

INTERNAL

		CYLINDER + LEVER		
L20101NA/96LSS	L20101NA/96RSS		L20301NA/96LSS	L20301NA/96RSS
		TURN KNOB + LEVER		
L20104NN/96LSS	L20104NN/96RSS		L20304NN/96LSS	L20304NN/96RSS
		PLAIN + LEVER		
L20105NN/96LSS	L20105NN/96RSS		L20305NN/96LSS	L20305NN/96RSS

check eSHOP for availability and more finish and lever options.

Sets come as standard with a 60mm latch - Suits 32-45mm door thickness, comes with D strike.

	L1	L2	L3	L4
				
Passage Set	LVEL1/L1SP*	LVEL1/L2SP	LVEL1/L3SP*	LVEL1/L4SP*
	LVEL1/L1SC*	LVEL1/L2SC	LVEL1/L3SC*	LVEL1/L4SC*
	VEL1/L1MBK*	VEL1/L2MBK*	VEL1/L3MBK*	VEL1/L4MBK*
Privacy Set	LVEL2/L1SP*	LVEL2/L2SP	LVEL2/L3SP*	LVEL2/L4SP*
	LVEL2/L1SC*	LVEL2/L2SC	LVEL2/L3SC*	LVEL2/L4SC*
	VEL2/L1MBK*	VEL2/L2MBK*	VEL2/L3MBK*	VEL2/L4MBK*
Dummy 1/2	LVEL3/L1SP	LVEL3/L2SP	LVEL3/L3SP	LVEL3/L4SP
	LVEL3/L1SC	LVEL3/L2SC	LVEL3/L3SC	LVEL3/L4SC
	VEL3/L1MBK	VEL3/L2MBK	VEL3/L3MBK	VEL3/L4MBK
	URBO LEVER		MALTA LEVER	
				
Passage Set	9800904MS		82950SP	
Privacy Set	9800905MS		82951SP	
Dummy 1/2	9800907MS		82952SP	


Velocity Accessories

LVEL-LATCH70		70mm Privacy latch (use for passage as well) SC finish - D Strike
5260/1SFTSC		60mm Passage latch (suits Symphony and Velocity & obsolete Daintree) T Strike only
VEL5260/1SFDTMBK		60mm Passage latch - D & T strike
VEL5260/2SFDTMBK		60mm Privacy latch - D & T strike
VES1-TRIMMBK		Large Rose Velocity - Square Trim - Passage - Black - 1 Pair
VES2-TRIMMBK		Large Rose Velocity - Square Trim - Privacy - Black - 1 Pair
7550SC		Symmetry Entrance Set - L3 Lever
7550MBK		Residential 5 Pin (6pin Compatible) - Knl - 35-45mm - 65mm Rose

Velocity Small Rose Levers (includes 60mm latch for passage & privacy)					
		Passage	Privacy	Dummy 1/2	Mortice (Excludes lock body)
L1		VSR1/L1SC	VSR2/L1SC	VSR3/L1SC	VSR0/L1SC
L3		VSR1/L3SC	VSR2/L3SC	VSR3/L3SC	VSR0/L3SC
		VSR1/L3MBK	VSR2/L3MBK	VSR3/L3MBK	VSR0/L3MBK
		VSR1/L3CP	VSR2/L3CP	VSR3/L3CP	VSR0/L3CP
L4		VSR1/L4SC	VSR2/L4SC	VSR3/L4SC	VSR0/L4SC
L5		VSR1/L5SC	VSR2/L5SC	VSR3/L5SC	VSR0/L5SC
		VSR1/L5CP	VSR2/L5CP	VSR3/L5CP	VSR0/L5CP
L8		VSR1/L8SC	VSR2/L8SC		VSR0/L8SC
		VSR1/L8MBK	VSR2/L8MBK	VSR3/L8MBK	VSR0/L8MBK
L28		VSR1/28SC	VSR2/28SC	VSR3/28SC	VSR0/28SC
L29		VSR1/29ASC	VSR2/29ASC	VSR3/29ASC	VSR0/29ASC
		VSR1/29ACP	VSR2/29ACP	VSR3/29ACP	VSR0/29ACP
L34		VSR1/34SC	VSR2/34SC	VSR3/34SC	VSR0/34SC
		VSR1/34CP	VSR2/34CP	VSR3/34CP	VSR0/34CP
L37		VSR1/37SC	VSR2/37SC	VSR3/37SC	VSR0/37SC
		VSR1/37CP	VSR2/37CP	VSR3/37CP	VSR0/37CP

Velocity Small Rose Trims (Sold in pairs)		
	Passage	Privacy
	VSR1-TRIMSC	VSR2-TRIMSC
	VSR1-TRIMCP	VSR2-TRIMCP
	VSS1-TRIMSC	VSS2-TRIMSC
	VSS1-TRIMCP	VSS2-TRIMCP
	VSS1-TRIMMBK	VSS2-TRIMMBK

Velocity Small Rose - Escutcheons & Turns					
Square Trim	Euro	Oval	Turn Knob	Emergency Indicating Turn	Accessible Turn
					
	VSR5/SC	VSR6/SC	VSR7/SC	VSR8/SC	VSR9/SC
	VSR5/CP	VSR6/CP	VSR7/CP	VSR8/CP	VSR9/CP
VSS6-TRIMMBK	VSR5/MBK	VSR6/MBK	VSR7/MBK	VSR8/MBK	VSR9/MBK



231 - M8 Fixings for Glass & Timber Provided

	L231X300SSS

192 - M8 Fixings for Glass & Timber Provided

	L192X450SSS
	L192X600SSS

142 - M8 Fixings for Glass & Timber Provided

	L142X1000SSS
	L142X300SSS
	L142X450SSS
	L142X600SSS

Accessories

	To convert 1 Pair to 2 singles, use...	
	PSFIX-6	M6 Conversion Kit
	PSFIX-8	M8 Conversion Kit
	SP-1EHM8	M8 Screw Pack (inc 2 x M8 x 80mm, 2 x M8 x 40mm)
	SP-2EHM6S	M8 Screw Pack (inc 2 x M6 x 62mm, 2 x M6 x 32mm)
	SP-3EHM8S	M8 Screw Pack (145) (inc 2 x M8 x 70mm, 2 x M8 x 30mm)

151 - M8 Fixings for Glass & Timber Provided

	L151X300SSS


141 - M8 Fixings for Glass & Timber Provided

	L141X300SSS
	L141X450SSS
	L141X600SSS



145 - M8 Fixings for Glass & Timber Provided

	L145X225SSS
	L145X375SSS
	L145X525SSS


143 - M6 Fixings for Glass & Timber Provided

   Disabled Accessible AS1428.1				
	143x300MBK	143x450MBK	143x600MBK	
	L143X300B	L143X450B	L143X600B	L143X1000B
	L143X300P	L143X450P	L143X600P	L143X1000P
	L143X300SPEC	L143X450SPEC	L143X600SPEC	L143X1000SPEC
	L143X300SSS	L143X450SSS	L143X600SSS	L143X1000SSS

146 - M8 Fixings for Glass & Timber Provided

   Disabled Accessible AS1428.1		
	146x450MBK	146x600MBK
	L146X450B	L146X600B
	L146X450P	L146X600P
	L146X450SPEC	L146X600SPEC
	L146X450SSS	L146X600SSS

147 - M8 Fixings for Glass & Timber Provided

   Disabled Accessible AS1428.1		
	147X450MBK	
	L147X450B	
	L147X450P	
	L147X450SPEC	
	L147X450SSS	

300 x 100 x 2mm SS PUSH/PULL Plates. Suits 35-45mm door thickness (M4 screws)

 		
Exterior - hidden fixings	L21407NNSS (Plain plate)	L21424NN/P2SS (With pull handle)
Interior - visible fixings	L21507NNSS	L21524NN/P2SS



Kit with escutcheon. Oval cylinder not included			
	S1	S2	S3
			
inc Size 3 Closer	YSK/S1SS	YSK/S2SS	YSK/S3SS
inc Adjustable Closer	YSKFS/S1SS	YSKFS/S2SS	YSKFS/S3SS
Kit with escutcheon and turn. Oval cylinder not included			
			
inc Size 3 Closer	YSK/S1TSS	YSK/S2TSS	YSK/S3TSS
Passage Lever Set - no latch			
			
YSH1LATCH	YSH1/S1NLSS	YSH1/S2NLSS	YSH1/S3NLSS
Privacy Lever Set - includes latch			
			
	YSH2/S1SS	YSH2/S2SS	YSH2/S3SS
Escutcheons and Accessories			
	Escutcheon	Turn Knob	
			
	YSH6SS	YSH7SS	

See eSHOP for product specifications. Keep an eye out for Black Simplicity later in 2021.



Synergy 3572 Vestibule Lock

	Dimensions (mm)		
Part Number	3572	4572	5572
Dimension A	60	89	127
Dimension B	84	113	151



Primary			Accessories					
	Dimension	Part number		Rebate Kit		Face plate		Finishing Kit
	60mm	L3572SC		3772-RK32SS		LSP3570-5036SSS		3570-##KIT
	89mm	L4572SC		3772-RK46SS				see eSHOP for finish options
	127mm	L5572SC						




Synergy Turn Adaptors - Turn 90 degrees to engage

Nightlatch	Standard	Deadlock	RH - Anti Vandal	LH - Anti Vandal	Standard (for case fix turns)
LSP3570-5050	LSP3572-5250	LSP3571-5050	LSP3572-5350	LSP3572-5450	LSP3572-6250

Synergy Oval Cylinder Cams

X Cam	Y Cam	Z Cam	W Cam	M Cam	
LSP-570-18ZP	LSP571-18ZP	LSP572-18ZP	LSP575-18ZP	LSP575-18ZP	

See pages 102 - 104 for complete oval cylinder range and accessories.

Classroom Lock 3572Z  Outside Key locks and unlocks outside handle. Operative except when locked by inside key Inside Handle always operative		Vestibule Lock 3572WT  Outside Key locks and unlocks both handles Inside Turn locks and unlocks both handles		Glass door lock 3574ZZ  Outside Key locks and unlocks both handles. Operative except when locked by either key Inside Key locks and unlocks both handles. Operative except when locked by either key
Classroom		Cyl & Turn		Double Cylinder
L3572SC		L3572SC		L3572SC
L1905/70SC		L1904/70SC		L1901/70SC
L1801/70SC		L1801/70C		L1801/70SC
L572-2SC		L575-2SC		L575-701SC
		LSP3572-5250		

Synergy Collection

					
		NIGHTLATCH	DEADBOLT	SLIDING DOOR DEADBOLT	PASSAGE
	60mm	L3570SC	L3571SC	L3573SC	L3574SC
	89mm		L4571SC	L4573SC	
	127mm	L5570SC	5571SC	L5573SC	
	Rebate Kit		L3571-2902SC		

Synergy - SCEC Endorsed (Secure Area)

		60mm Deadlatch	60mm Deadlock		
		L35792SC	L35791SC		


Synergy - Dual Cylinder Accessories

	Description	Part number
	Lower Cylinder	L577-2SC
	Dual Cylinder - Lower Cylinder Mounting Kit	LSP3577-5619



Selector 3772 Escape Locks

	Dimensions (mm)		
Part Number	3772	4772	5772
Dimension A	60	89	127
Dimension B	88	117	155



Primary			Suits doors 50-75mm	Accessories			
	Dimension	Part number			Rebate Kit		Finishing Kit
	60mm	3772SS			3772-RK32SS		3772-FINKIT## PC, ORB, PB, MBK
	89mm	4772SS			3772-RK46SS		
	127mm	5772SS					
			Strike and face plate in other colour/finish				

Selector MKII - Turn Adaptors - Turn 60 degrees to engage		
Nightlatch MKII	Standard	Nightlatch MK1 (Pre May 2021**)
3770M2-ADAPTOR	3772-ADAPTOR	3770M1-ADAPTOR

Selector Oval Cylinder Cams	
SP3700/VCAM	SP3700/X7CAM

How to ID MKI and MKII on the door.
60mm - MKII Selectors have an embossed dot on the underside of the auxilliary bolt.

The lower cylinder mounting plate has changed for the MKII, accepting the 570E cylinder.
3777-KIT




Selector 3782 Short Backset Escape Locks



	Dimensions (mm)			
Part Number	3782	4782	5782	6782
Dimension X	23	25.4	30	38
Dimension Y	40	42.4	47	55
Minumum internal depth of door	40	43	47	55




Short FEP			
23mm	25.4mm	30mm	38mm
			
3782SS	4782SS	5782SS	6782SS


Long FEP			
23mm	25.4mm	30mm	38mm
			
3782LFSS	N/A	5782LFSS	N/A

Selector MKI - Turn Adaptors	
Nightlatch	Standard
	
3770M1-ADAPTOR	3772-ADAPTOR

Selector Oval Cylinder Cams	
	
SP3700/VCAM	SP3700/X7CAM

Accessories		
	Description	Part Number
	5782/6782 REBATE KIT ANTICLOCKWISE	5782-RKACWSS
	5782/6782 REBATE KIT CLOCKWISE	5782-RKCWSS
	Long (Timber) Face Plate	SP3780-036SS

T Strike Options Lip measures from screw hole to edge of strike lip		
	Standard - 32mm	3772-STK32SS
	Short - 25.4mm	3772-STK25SS
	Long - 43mm	3772-STK43SS
	Long - 47mm	3772-STK47SS
	Long - 60mm	3772-STK60SS
	Strike Box	3772-STKBOX
7.6mm - Split Spindles for Synergy and Selector		
To Suit Door Thickness		
	Std - 32 - 50mm	LSP3570-5018
	50 - 75mm	LSP3570-5228
	75 - 100mm	LSP3570-5238
	100 - 200mm	LSP3570-5258
	Split Spindle Springs	LSP3570-5017



Mechanical Digital Yale Options			
	Description	Trade Pack Part Number	Display Pack Part Number
	Digital Entrance Set - 60mm		SL2000SC
	Digital Entrance Set - 60mm		SL7100SC
	Digital StoreRoom Set - 60mm	SL7200SCLS	
	Digital Mortice with Key Override - 60mm	SL7000MSC	
	Latch for SL7100 and SL2000 - 70mm	SL2000DL70SC	
	Latch for SL7100 and SL2000 - 60mm	SL7000DL60SC	
Mechanical Digital Lockwood 530 & 002			
	Description	Trade Pack Part Number	Display Pack Part Number
	DX Keypad with 530 Latch - 60mm	L530DXSC	L530DXSCDP
	DX Keypad with 002 Deadlatch with Knob		L002-1KDXSCDP
	DX Keypad with 002 Deadlatch with Lever	L002-1LDXSP	
	Double DX Keypads - 60mm	L530DXSC/PADSX2	
Mechanical Digital Lockwood Synergy - comes with lockbody, NO internal handle or cylinder included.			
	60mm Mortice DX - LH	L3572DXLSC	
	60mm Mortice DX - RH	L3572DXRSC	
	60mm Mortice with Key Override - DX - LH	L3572DXKOLSC	
	60mm Mortice with Key Override - DX - RH	L3572DXKORSC	
	Internal handle	L1905/70SC	

Accessories

Lockwood DX Accessories for 530, Synergy and Selector			
	Description	Trade Pack Part Number	
	530 Standard Spindle 35-45mm	LSP10000-127ZP	
	530 Extended Spindle - 46-55mm	LSP10000-627ZP	
	530 Extended Spindle - 56-65mm	LSP10000-727ZP	
	3572/3772/002 Spindle - 32-50mm	LSP10000-138ZP	
	530 Keypad x 2 Spindle	LSP10000-1127ZP	
	RED Tumblers (5's)	LSPDX-42	
	BLUE Tumblers (5's)	LSPDX-43	
	Mortice Ext Keypad	LSPDX-50SC	
	530 Ext Keypad	LSPDX-20SC	
	DX Keypad Mounting Plate - 60mm	LSPDX-324	
	DX Keypad Mounting Plate - 23mm	LSPDX-320	
	DX Keypad Mounting Plate - 002	SPDX-520	
	M5 x 125mm (10's)	LSP930-208ZP	

Warning:

The Selector DX kits use the latching adaptor. From June 2021 the narrow use MK1 adaptor and the standard use MKII adaptors. They are NOT interchangeable.

Selector 3780 Series (Narrow) DX Kits – includes keypad & ‘fixings’, **NO lockbody, Internal lever or cylinder included. Uses MKI adaptor**

	Description	Trade Pack Part Number
	DX Kit to suit 3780 Series	3782-DXKITSC
	DX Kit to suit 3780 Series - with Key Override	3782-DXKOKITSC

			+	
Backset	Standard Faceplate	Long Faceplate		Internal Handle
23mm	3782SS	3782LFSS		L4905/70SC
30mm	5782SS	5782LFSS		
38mm	6782SS	6782LFSS		

Selector 3770 Series (Wide) DX Kits – includes keypad & ‘fixings’, **NO lockbody, Internal lever or cylinder included Uses MKII adaptor**

	Description	Trade Pack Part Number
	DX Kit to suit 3770 Series	3772-DXKITSC
	DX Kit to suit 3770 Series - with Key Override	3772-DXKOKITSC

	+	
Backset		Internal Handle
Part Number		L1905/70SC
60mm		3772SS
89mm		4772SS
127mm	5772SS	

DXKIT + LOCKBODY + HANDLE + 570CYL (if KO)

Door thickness		32 - 48mm (except 534, 32 - 45mm)	32 - 45mm (except 934 & 954, 35 - 41mm)	
		60mm backset	70mm backset	70mm backset
		64mm Rose	65mm Rose	65mm Rose
				
Escape Deadlatch		L529SC	L929SC	L949SC
Entrance Set		L530SC	L930SC	L950SC
Passage Set		L531SC	L931SC	L951SC
Privacy		L532SC	L932SC	L952SC
Glass Door		L534SC	L934SC	L954SC
Escape		L536SC	L936SC	L956SC
Storeroom		L538SC	L938SC	L958SC

530 Deadlatch		
	L530-12SC	60mm Deadlatch
	L530-222SC	70mm Deadlatch
	L530-225SC	127mm Deadlatch
531 Plainlatch		
	L531-122SC	60mm Latch
	L531-222SC	70mm Latch
8530 Special Latch & Parts		
	L8530-1SC	Single Bevel 60mm Latch/Turnknob/Strike
	L8530-101SC	Single Bevel 70mm Latch/Turnknob/Strike
	L8530-203SC	Double Bevel 60mm Latch/Strike - Double action - Turnknob not included
	L8530-213SC	Double Bevel 60mm Latch/Strike - Single action - Turnknob not included
	L8530-305SC	60mm Double Bevel latch
	LSP8530-253SC	Double Bevel Strike - Double Action
	LSP8530-353SC	Double Bevel Strike - Single Action
	LSP8530-57SC	Turnknob
	LSP930-208ZP	M5 x 125mm (10's)
	LSP930-108ZP	M5 x 49mm (20's)


Latch Spindle			Locking Spindle		
Door Thickness (mm)	530, 532	534	Door Thickness (mm)	530, 532	534
40			40		
45		58	45		90
50	73	63	50	120	95
55	78	68	55	125	100
60	83	73	60	130	105
65	88	78	65	135	110
70	93	83	70	140	115
75	98	88	75	145	120
80	103	93	80	150	125
85	108	98	85	155	130
90	113	103	90	160	135
95	118	108	95	165	140
100	123	113	100	170	145
105	128	118	105	175	150
110		123	110		155
115		128	115		160
120		133	120		165
125			125		
130			130		
135			135		
140			140		
145			145		

L530-6124SC Accessory Kit

Extended Spindle Kit for 530, 532, 534


- Step 1. - Establish product function
- Step 2. - Establish spindle type required
- Step 3. - Measure door thickness
- Step 4. - Establish spindle cut length as per the chart.
Cut and deburr spindle to required cut length.
- Step 5. - Assemble new length spindle to lockset.

-  Use Standard Spindle.
-  Cut spindle length in millimetres.
-  No Cutting of Spindle required.
-  Door Thickness too large for this function.



Latch Spindle

Locking Spindle



Latch Spindle	
Door Thickness (mm)	531
40	
45	
50	
55	78
60	83
65	88
70	93
75	98
80	103
85	
90	
95	
100	
105	
110	
115	
120	
125	
130	
135	
140	
145	

-  Use Standard Spindle.
-  Cut spindle length in millimetres.
-  No Cutting of Spindle required.
-  Door Thickness too large for this function.


L531-6124SC Accessory Kit

Extended Spindle Kit for 531

- Step 1. - Measure door thickness
- Step 2. - Establish spindle cut length as per the chart.
Cut and deburr spindle to required cut length.
- Step 3. - Assemble new length spindle to lockset.



Latch Spindle




Latch Spindle			
Door Thickness (mm)	536	936, 956	536/936 combo
40			
45		80	
50		85	
55		90	
60	100	95	
65	105	100	105
70	110	105	110
75	115	110	115
80	120	115	120
85	125		125
90			130
95			135
100			
105			
110			
115			
120			
125			
130			
135			
140			
145			

L936-6124SC or L536-6124SC Accessory Kit

Extended Spindle Kit for 936, 956, 536, 536/936 Combo


- Step 1. - Establish product function
- Step 2. - Measure door thickness
- Step 3. - Establish spindle cut length as per the chart.
Cut and deburr spindle to required cut length.
- Step 4. - Assemble new length spindle to lockset.

-  Use Standard Spindle.
-  Cut spindle length in millimetres.
-  No Cutting of Spindle required.
-  Door Thickness too large for this function.




Mounting Screws - Cut screw 5mm greater than door thickness

Latch Spindle



Latch Spindle		
Door Thickness (mm)	538	931, 951
40		
45		
50		
55	103	
60	108	
65	113	
70	118	
75	123	
80	128	
85	133	
90	138	
95	143	
100		
105		
110		
115		
120		
125		
130		
135		
140		
145		

Latch Spindle




L931-6124SC Accessory Kit


Extended Spindle Kit for 538, 931, 951

- Step 1. - Establish product function
 Step 2. - Measure door thickness
 Step 3. - Establish spindle cut length as per the chart.
 Cut and deburr spindle to required cut length.
 Step 4. - Assemble new length spindle to lockset.


- Use Standard Spindle.
- Cut spindle length in millimetres.
- No Cutting of Spindle required.
- Door Thickness too large for this function.



Mounting Screws - Cut screw 5mm greater than door thickness



Spindle		
Door Thickness (mm)	938, 958	538/938 Combo
40		
45		88
50		93
55	83	98
60	88	103
65	93	108
70	98	113
75	103	118
80	108	123
85		
90		
95		
100		
105		
110		
115		
120		
125		
130		
135		
140		
145		




L938-6124SC Accessory Kit


Extended Spindle Kit for 938, 958, 538/938

- Step 1. - Establish product function
 Step 2. - Measure door thickness
 Step 3. - Establish spindle cut length as per the chart.
 Cut and deburr spindle to required cut length.
 Step 4. - Assemble new length spindle to lockset.

- Use Standard Spindle.
- Cut spindle length in millimetres.
- No Cutting of Spindle required.
- Door Thickness too large for this function.



Mounting Screws - Cut screw 5mm greater than door thickness



Latch Spindle			
Door Thickness (mm)	529	929, 949, 930, 932, 950, 952	934, 954
40			50
45		65	55
50	85	70	60
55	90	75	65
60	95	80	70
65	100	85	75
70	105	90	80
75	110	95	85
80	115	100	90
85	120	105	95
90		110	100
95			105
100			110
105			115
110			120
115			125
120			130
125			135
130			
135			
140			
145			


Locking Spindle			
Door Thickness (mm)	529	929, 949, 930, 932, 950, 952	934, 954
40			75
45		95	80
50	120	100	85
55	125	105	90
60	130	110	95
65	135	115	100
70	140	120	105
75	145	125	110
80	150	130	115
85	155	135	120
90		140	125
95		145	130
100		150	135
105		155	140
110		160	145
115			150
120			155
125			160
130			
135			
140			
145			

529-6124SC or L930-6124SC Accessory Kit



Extended Spindle Kit for 529, 929, 930, 932, 934, 949, 950, 952, 954

- Step 1. - Establish product function
 Step 2. - Establish spindle type required
 Step 3. - Measure door thickness
 Step 4. - Establish spindle cut length as per the chart.
 Cut and deburr spindle to required cut length.
 Step 5. - Assemble new length spindle to lockset.


- Use Standard Spindle.
- Cut spindle length in millimetres.
- No Cutting of Spindle required.
- Door Thickness too large for this function.



Mounting Screws - Cut screw 5mm greater than door thickness



Latching Spindle



Locking Spindle

Grade 2 - Commercial - 6 Pin, 60-70 adjustable bolt, 34-45mm door thickness, 54mm bore hole

	Description	Finish	Trade Part Number	Display Part Number
	Double Cylinder	SS	MC15SSLS-SY	MC15SS
	Double Cylinder	AB	MC15ABLS-SY	MC15AB
	Double Cylinder	PB	MC15PBLS-SY	MC15PB
	Cylinder & Turn	SS	MC16SSLS-SY	MC16SS
	Cylinder & Turn	AB	MC16ABLS-SY	MC16AB
	Cylinder & Turn	PB	MC16PBLS-SY	MC16PB

Grade 2 - Heavy Duty - 6 Pin, 60-70 adjustable bolt, 34-45mm door thickness, 54mm bore hole

	Description	Finish	Trade Part Number	Display Part Number
	Double Cylinder	SS	MC21SSLS-SY	
	Cylinder & Turn	SS	MC22SSLS-SY	

Grade 3 - Residential - 5 Pin, 60-70 adjustable bolt, 34-45mm door thickness, 54mm bore hole

	Description	Finish	Trade Part Number	Display Part Number
	Double Cylinder	SS	MC12SSLS-TL	MC12SS
	Double Cylinder	AB	MC12ABLS-TL	MC12AB
	Double Cylinder	PB	MC12PBLS-TL	MC12PB
	Cylinder & Turn	SS	MC13SSLS-TL	MC13SS
	Cylinder & Turn	AB	MC13ABLS-TL	MC13AB
	Cylinder & Turn	PB	MC13PBLS	MC13PB

Grade 4 - Residential - 5 Pin

	Description	Finish	Trade Part Number	Display Part Number
	Double Cylinder - Yale Profile	SS		SYDB/DCYL/SC
	Cylinder & Turn - Yale Profile	SS		SYDB/SCYL/SC

Accessories

	Description	Trade Part Number	
	Extended Outer slotted Tailbar - BLK 5mm extension	MC2651/1-TL	
	Extended Inner slotted Tailbar - ZP 5mm extension	MC2652/2-TL	
	80mm Deadbolt Screw	MC2653SS-TL	
	60mm Deadbolt Screw	MC2655SS-TL	
	63mm Tailbar	MC2650EX	
	95mm Tailbar	MC2650EXX	

Lockwood Paradigm Deadbolts

32-48mm door, not / adjustable backset

	Description	Trade Part Number	Display Part Number
	Round Rose - Chrome Plate		L005/B1CPDP
	Round Rose - Brass		L005/B1EVBDP
	Round Rose - Brushed Satin Chrome		L005/B1LSCDP
	Round Rose - Satin Pearl		L005/B1SPDP
	Round Rose - Stainless Steel		L005/B1SSSDP
	Round Rose - Black		005/B1MBKDP
	Square Rose - Brushed Satin Chrome		L005/B2LSCDP
	Square Rose - Satin Pearl		L005/B2SPDP
	Square Rose - Black		005/B2MBKDP

Grade 2 - Commercial - 6 Pin, 35-45mm, 75mm rose

	Description	Finish	Trade Part Number	Display Part Number
	60mm Entrance Set - Key/Snib	SS	MC300SSLS-SY	
	60mm Entrance Set - Key/Snib	AB	MC300ABLS-SY	
	60mm Entrance Set - Key/Snib	PB	MC300PBLS-SY	
	70mm Entrance Set - Key/Snib	SS	MC301SSLS-SY	
	70mm Entrance Set - Key/Snib	AB	MC301ABLS-SY	
	70mm Entrance Set - Key/Snib	PB	MC301PBLS-SY	
	70mm Entrance Set - Key/Key	SS	MC30111SSLS-SY	
	70mm Classroom Set	SS	MC30121SSLS-SY	
	70mm Storeroom Set	SS	MC30621SSLS-SY	

Grade 3 - Residential 5 Pin - KNK, 35-45mm, 65mm rose

	Description	Finish	Trade Part Number	Display Part Number
	60mm Entrance Set - Key/Key	SS	MCE3011LS-SY	MCE3011
	60mm Entrance Set - Key/Key	AB	MCE3611LS-SY	MCE3611
	60mm Entrance Set - Key/Key	PB	MCE3Y11LS-SY	MCE3Y11
For 70mm backset add either MC370SS-SY or MCN9081SS				
	60/70mm Entrance Set - Key/Snib	SS	MCN3000LS-TL	MCN3000
	60/70mm Entrance Set - Key/Snib	AB	MCN3600LS-TL	MCN3600
	60/70mm Entrance Set - Key/Snib	PB	MCN3Y00LS-TL	MCN3Y00
	127mm Entrance Set - Key/Snib	SS	MCN30005LS-TL	MCN30005
	127mm Entrance Set - Key/Snib	AB	MCN36005LS-TL	MCN36005

Passage				
	Description	Finish	Trade Part Number	Display Part Number
	60/70mm Passage Set	SS	MCN3082LS-TL	MCN3082
Privacy				
	Description	Finish	Trade Part Number	Display Part Number
	60/70mm Privacy Set	SS	MCN3030LS-TL	MCN3030-TL
Dummy				
	Description	Finish	Trade Part Number	Display Part Number
	Dummy Pair	SS		MCN3075-TL
	Dummy Single	SS	MCN3075LS-TL	
Grade 4 - Residential 5 Pin - KNK, 35-45mm				
	Description	Finish	Trade Part Number	Display Part Number
	60/70mm Entrance Set - Yale Profile	SS		SYK1/ENT/SC
	60/70mm Passage Set	SS		SYK1/PASS/SC
	60/70mm Privacy Set	SS		SYK1/PRIV/SC
	Dummy Single	SS		SYK1/DUMMY/SC
Gripsets 35-45mm door thickness (Trade pack only)				
	Description	Finish	Part Number	
	Alexander With Hawthorn And Orbit Cylinder/Turn SC	Satin Chrome	MCA010LS	
	Alexander With Hawthorn And Orbit Double Cylinder SC	Satin Chrome	MCA011LS	
	Mayfair With Hawthorn And Orbit Cylinder/Turn SC	Satin Chrome	MCM010LS	
	Mayfair With Hawthorn And Orbit Double Cylinder SC	Satin Chrome	MCM011LS	

Accessories				
	Description	Finish	Trade Part Number	Display Part Number
	57mm Extension Link (127mm) Will only work with fixed latches		MC303-TL	
	35mm Extension Link (95mm) Will only work with fixed latches		MC305-TL	
	60mm Deadlatch (Cylindrical)	SS	MC360SS-SY	
	70mm Deadlatch (Cylindrical)	SS	MC370SS-SY	
	127mm Deadlatch	SS	MC9009SS-TL	
	95mm Deadlatch	SS	MC9068SS-TL	
	MCN Adjustable Deadlatch 60-70mm		MC9081SS	
	T STRIKE	SS	MC9101SS-TL	
	D STRIKE	SS	MC9102SS-TL	
	Strike Box		MC9102SB	
	KNK CYLINDER LW 6 PIN CP	CP	MC2600SC-SY	
	Rebate Kit	SC		MC307SC
	Rebate Kit	PB		MC307PB
	External Rose Gasket		MC306	
Commercial, 6 Pin, 82mm Rose, 70mm backset, 35-46mm				
	Description	Finish	Trade Part Number	
	70mm Entrance Set - Key/Snib	SS	SYL17/EXT/SC	
	70mm Entrance Set - Double Cylinder	SS	SYL17/GLA/SC	
	70mm Classroom Set	SS	SYL17/CLA/SC	
	70mm Storeroom Set	SS	SYL17/STO/SC	
	70mm Passage Set	SS	SYL17/PAS/SC	
	70mm Privacy Set	SS	SYL17/PRI/SC	
	Dummy Single	SS	SYL17/DUM/SC	

Grade 3 - Residential 5 Pin - KNL , 35-45mm			
	Description	Finish	Trade Part Number
	45 degree, 60/70mm, Entrance Set - Key/Turn	SS	MCTH000LS-TL
	85 degree, 127mm, Entrance Set - Key/Turn	SS	MCTH0005LS-TL
	60/70mm Passage Set	SS	MCTH082LS-TL
	60/70mm Privacy Set	SS	MCTH030LS-TL
	Dummy Single	SS	MCTH075LS-TL
Accessories			
	Description	Finish	Trade Part Number
	60/70mm Deadlatch 45degree	SS	MC9045SS-TL
	60/70mm Passage Latch 45degree	SS	MC9046SS-TL
Grade 4 - Residential 5 Pin - KNL, 35-45mm			
	Description	Finish	Display Part Number
	L1 - 60/70mm Entrance - Yale Profile Key/Turn	SS	SYL1/ENT/SC
	L1 - 60/70mm Passage Set	SS	SYL1/PASS/SC
	L1 - 60/70mm Privacy Set	SS	SYL1/PRIV/SC
	L1 - Dummy Single	SS	SYL1/DUMMY/SC
	L2 - 60/70mm Entrance - Yale Profile Key/Turn	SS	SYL2/ENT/SC
	L2 - 60/70mm Passage Set	SS	SYL2/PASS/SC
	L2 - 60/70mm Privacy Set	SS	SYL2/PRIV/SC
	L2 - Dummy Single	SS	SYL2/DUMMY/SC

Lockwood Symmetry

RESIDENTIAL 5 PIN (6PIN COMPATIBLE) - KNL - 35-45mm - 65mm ROSE			
	Description	Finish	Trade Part Number
	SYMMETRY ENTRANCE SET LEVER 3	SS	7550SC
	SYMMETRY ENTRANCE SET LEVER 3	Black	7550MBK

Premium - Cam Action Slide Arm

Ideal for public and commercial applications where children, the elderly and the disabled are likely to be using the door. Delayed Action- Allows time to pass through the portal before closer operates -ideal for elderly, disabled or children.

* Hold Open function not approved on Fire Doors

Hold Open (H) Backcheck (BC) Delayed Action (DA) Fire Rating - check door manufacturers approval lists

	Power Size and Features	Silver Finish	Satin Stainless	
	Size 1-6 BC DA 4Hr Fire*	2616DASIL	2616DASSS	
	Size 1-5 BC DA 4Hr Fire*	2615DASIL	2615DASSS	
	2616 Mechanical Co-ordinator for Double Doors	2616COSIL	2616COSSS	
	Cam Action Accessories - for use with 2616 and 2615	Part Number		
	Angled Mounting Plate	2616-104SIL		
	Hold Open Device - Max 110 degrees	2616-152		
	Opening Damper	2616-153		
	Mounting Plate	2616-180SIL		
	Replacement Cover	2616SIL-COVER	2616SSS-COVER	
		2615SIL-COVER	2615SSS-COVER	
	Slide Arm Assembly for both models	L2516-193SIL		

ElectroMechanical Hold Open - Slide Arm

The door is held open at the selected angle. When the power is switched off, e.g. when smoke detectors react to smoke, the door closes.

	Hold Open / Delayed Action / 4 hour fire rated	Silver Finish	Satin Stainless	Power
	Single Door 2616 with Electronic Hold Open	2616EMCSIL	2616EMCSSS	1-6
	Double Door 2616 with Electronic Hold Open	2616EMCDSIL	2616EMCDSSS	1-6

Free Swing Cam Action Door Closer

Door free swinging when powered. When switched off, the door closer operates as normal. Ideal for aged care, health care, educational.

	Delayed Action / 4 hour fire rated	Silver Finish	Satin Stainless	Power
	2636FS Electronic Free Swing Door Closer	2636FS-SIL	N/A	3-6

Hold Open function not approved on any Fire Doors. These closers have been successfully tested up to the stated hours (depending on type of door set) on fire door assemblies in accordance with Australian Standard AS1905.1:2005, Part: Fire Resistant Door sets. CHECK FIRE DOOR MANUFACTURERS APPROVAL LISTS FOR COMPLIANCE.

Premium - Slide Arm

Power Adjustable. More aesthetic appearance on the door.

Hold Open (H) Backcheck (BC) Delayed Action (DA) Fire Rating - check door manufacturers approval lists

	Power Size and Features	Silver Finish	Satin Stainless
	Size 2-6 H BC DA 4Hr Fire*	DC7726SRDASIL	DC7726SRDASSS
	Size 1-4 H BC DA 4Hr Fire*	DC7714SRDASIL	DC7714SRDASSS
	Slide Arm Accessories	Part Number	
	Slide Arm Assembly - suits 7724/7714, includes end caps	SP7726-430SIL	
	Slide Arm Assembly - suits 7726, includes end caps	SP7726-431LSIL	
	Hold Open & Slide Block assembly	SP7726-432	

Premium - Standard Arm

Power adjustable, includes parallel arm bracket, suitable for architectural and commercial applications. The DC7726 and DC7714 are now the same size and can utilise the same accessories, they come with the 'clip on cover'. Hold Open (H) Backcheck (BC) Delayed Action (DA) Fire Rating - check door manufacturers approval lists

	Power Size and Features	Silver Finish	Satin Stainless
	Size 2-6 BC DA 4Hr Fire	DC7726DASIL	DC7726DASSS
	Size 2-6 H BC DA 4Hr Fire*	DC7726HDASIL	DC7726HDASSS
	Size 1-4 BC DA 4HR Fire	DC7714DASIL	DC7714DASSS
	Size 1-4 H BC DA 4HR Fire*	DC7714HDASIL	DC7714HDASSS
	7700 Accessories	Part Number	
	Drop plate to suit DC7726 and DC7714 (314 x 119mm)	DC7726-180SIL	
	Drop plate to suit 7724 & 724 slide cover closers (251 x 119mm)	DC7724-180SIL	
	Standard Arm Assembly to suit 7726	SP7726-153SIL	
	Standard Arm Assembly to suit 7724/7714	SP7714-153SIL	
	Hold Open Arm Assembly to suit 7726	SP7726-224SIL	
	Hold Open Arm Assembly to suit 7714	SP7714-224SIL	
	N Bracket to suit 7726	SP7726-159SIL	
	Z Bracket to suit 7726	SP7726-169SIL	
	L Standard Parallel Arm Bracket to suit 7726/7714	SP7726-157SIL	
	Screw Pack for 7726	SP7726-119	
	Screw Pack for 7714	SP7714-119	
	7726 Parallel arm packer	SP7726-450	

Hold Open function not approved on any Fire Doors. These closers have been successfully tested up to the stated hours (depending on type of door set) on fire door assemblies in accordance with Australian Standard AS1905.1:2005, Part: Fire Resistant Door sets. CHECK FIRE DOOR MANUFACTURERS APPROVAL LISTS FOR COMPLIANCE.

3000 Series - Light commercial Power adjustable - Display Pack			
	Power Size and Features	Silver Finish	
	Size 2-4 BC DA 2Hr Fire	L3024SILDP	
	3024 Accessories	Part Number	
	Standard Arm Assembly to suit 3024	SP7714-153SIL	
2000 Series - Economy light commercial Economy light commercial range. Power selectable. Includes Parallel arm bracket			
	Power Size and Features	Silver Finish	
	Size 2-4 BC 2Hr Fire	L2024BCSIL	
	Size 2-4 BC - offset arm for metal doors 2Hr Fire	L2024BCOPSIL	
	Size 2-4 H 2 Hr Fire*	L2024HSIL	
Yale Economy Series Power Adjustable - Includes Z Parallel Arm bracket			
	Power Size and Features	Silver Finish	
	Size 2-4 BC 2Hr Fire	Y2400SIL	
	Size 2-6 BC DA 2Hr Fire	Y2600SIL	
	Drop Plate to suit Y2600	Y2600-180SIL	
	Drop Plate to suit Y2400	Y2400-180SIL	
	Hold Open Arm to suit Y2600	Y2600-224SIL	
	Hold Open Arm to suit Y2400	Y2400-224SIL	
2500 Series - Heavy Duty Suitable for use on internal/external doors, ideal solution for extremely heavy doors. (to 160kg)			
	Power Size and Features	Silver Finish	
	Size 5-7 BC 4Hr Fire	L2557SIL	
Sliding Door Closer Sliding Door closer for pool access doors or smooth running roller supported sliding doors			
	Delayed Action / 4 hour fire rated	Silver Finish	Power
	L7714 Series (Delayed Action, Adjustable Speed)	L7714SDSIL	2-3
	Self Latching device included	SDL710B	

Hold Open function not approved on any Fire Doors. These closers have been successfully tested up to the stated hours (depending on type of door set) on fire door assemblies in accordance with Australian Standard AS1905.1:2005, Part: Fire Resistant Door sets. CHECK FIRE DOOR MANUFACTURERS APPROVAL LISTS FOR COMPLIANCE.

Cam Action			
	Power Size and Features	Black Finish	
	Size 1-5 BC DA 4HR Fire	2615DABLK	
	Size 1-6 BC DA 4HR Fire	2616DABLK	
	Double door co-ordinator	2616COBLK	
SLIDE RAIL			
	Power Size and Features	Black Finish	
	Size 2-4 BC	724SRBLK	
	Size 1-5 BC DA	7726SRDABLK	
STANDARD ARM			
	Power Size and Features	Black Finish	
	Size 2-6 BC DA	DC7726DABLK	
	Size 1-4 BC DA	7714DABLK	


OTC - Overhead Transom Closers


Commercial grade fully concealed door closer. Suitable for timber and aluminium. Comes with bottom pivot. Door weight to 120kg.				
		Size 2	Size 3	Size 4
	NON HOLD OPEN	L9852N	L9853N	L9854N
	90 HOLD OPEN	L9852H90	L9853H90	L9854H90
	105 HOLD OPEN	L9852H105	L9853H105	L9854H105
	LSP985-10	Spare Cover Plate		
	L985-300SSS	115Kg Pivot Door Set - Aluminium & Timber		
	L985-400SSS	200Kg Pivot Door Set - Aluminium & Timber		


8800 Floor Springs

Commercial grade fully concealed door closer. Suitable for timber and aluminium. Complete with coverplate and top pivot. Door weight to 120kg.				
		Size 2	Size 3	Size 4
	NON HOLD OPEN	L8842NSSS	L8843NSSS	L8844NSSS
	90 HOLD OPEN	L8842H90SSS	L8843H90SSS	L8844H90SSS
	105 HOLD OPEN	L8842H105SSS	L8843H105SSS	L8844H105SSS

Hold Open function not approved on any Fire Doors. These closers have been successfully tested up to the stated hours (depending on type of door set) on fire door assemblies in accordance with Australian Standard AS1905.1:2005, Part: Fire Resistant Door sets. CHECK FIRE DOOR MANUFACTURERS APPROVAL LISTS FOR COMPLIANCE.

	Description	900mm	1200mm
	1 Point - Rim Exit Device	FE109/0HSIL	FE112/0HSIL
	1 Point - Rim Exit Device - Mortice included (Ext Handle and 570 Cyl sold seperately)	FE109/0MSIL	FE112/0MSIL
	1 Point - Rim Exit Device - Dogging (holds push bar in open position) 9555-5 cyl sold seperately	FE109/1HSIL	FE112/1HSIL

	2 Point - Vertical Latch - 2.3m	FE209/0VSIL	FE212/0VSIL
	2 Point - 2.3m - Vertical Latch Dogging (holds push bar in open position) 9555-5 cyl sold seperately	FE209/1VSIL	FE212/1VSIL
	2 Point - Horizontal Latch - 2.3m	FE209/0HSIL	FE212/0HSIL

	3 Point - Vertical Latch - 2.3m	FE309/0VSIL	FE312/0VSIL
	3 Point - 2.3m - Vertical Latch Dogging (holds push bar in open position) 9555-5 cyl sold seperately	FE309/1VSIL	FE312/1VSIL
	3 Point - 2.3m - Horizontal Latch	FE309/0HSIL	FE312/0HSIL

ACCESSORIES

	Horizontal Latch Assembly - for Vert Rods - No Cover	FESP0045	
	Horizontal Latch Cover for Vert Rods	FESP0046SIL	
	Vertical Extension Kit - up to 3m	FE0050SIL	
	Dogging & External Trim Cylinder	L9555-502CP	
	External Trim - (9555-5 Cyl not included)	FE5000SIL	
	External Handle for Mortice Fluid	L1801/70SC	

Please check eSHOP for technical specifications

001 - Double Cylinder Deadlatch			
	Description	Trade Pack Part Number	Display Pack Part Number
	001 WITH KNOB TIMBER FRAME STRIKE	L001-1K1SP	L001-1K1SPDP
			L001-1K1BRNDP
			L001-1K1CPDP
			L001-1K1EVBDP
	001 WITH KNOB METAL FRAME	L001-3K1SP	
	001 WITH KNOB OPEN OUT STRIKE	L001-4K1SP	
	001 WITH LEVER TIMBER FRAME STRIKE	L001-1L1SP	L001-1L1SPDP
002- Single Cylinder Deadlatch			
	Description	Trade Pack Part Number	Display Pack Part Number
	002 WITH KNOB TIMBER FRAME STRIKE	L002-1K1SP	
	002 WITH KNOB OPEN OUT STRIKE	L002-4K1SP	
	002 WITH LEVER TIMBER FRAME STRIKE	L002-1L1SP	
	002 WITH LEVER OPEN OUT STRIKE	L002-4L1SP	
	DX DIGITAL KEYPAD WITH 002 WITH KNOB		L002-1KDXSCDP
	DX DIGITAL KEYPAD WITH 002 WITH LEVER	L002-1LDXSP	

201 Cylinder & Tailbar Accessories		
	Description	Part Number
	100mm Tailbar	LSP201-338
	Extended 201 Cylinder Screw M5 x 40.4mm	LSP201-166
	M5 x 125mm screw (10's)	LSP930-208ZP


001/002 Accessories			
	Description	Part Number	
	STRIKE RETRO FIT - 31mm	L001-3653SP	
		L001-3653EVB	
	METAL FRAME STRIKE	L001-3053SP	
		L001-3053EVB	
		L001-3053CP	
	OPEN OUT STRIKE	L001-3253SP	
Single Cylinder Deadlock			
	Description	Trade Pack Part Number	Display Pack Part Number
	303 SINGLE CYL DEADLOCK	L303-NSP	L303-NSPDP
	YALE Profile - SGL CYL DEADLOCK		SYDK/SCYL/CP
Double Cylinder Deadlock			
	Description	Trade Pack Part Number	Display Pack Part Number
	355 DOUBLE CYL DEADLOCK	L355-NSP	L355-NSPDP
	YALE Profile - DBL CYL DEADLOCK		SYDK/DCYL/CP
Nightlatches - Without SNIB			
	Description	Trade Pack Part Number	Display Pack Part Number
	Bright Chrome Cyl - Brown Case & Strike	L100CP	L100CPDP
	Florentine Bronze Cyl - Brown Case & Strike	L100FB	L100FBDP
	Brown Case & Strike - No Cyl	L100NOCYL	
	Yale Brown Case - No Cyl	172BR	

Nightlatches - With SNIB			
	Description	Trade Pack Part Number	Display Pack Part Number
	Bright Chrome Cyl - Brown Case & Strike	L201CP	L201FBDP
	Florentine Bronze Cyl - Brown Case & Strike	L201FB	L201CPDP
	Brown Case & Strike - No Cyl	L201NOCYL	
	Nightlatch SC - (only DP with cylinder)	170S	MC170SC
	Nightlatch FB - (only DP with cylinder)	170BR	MC170FB
	Nightlatch PB		MC170PB
	Yale Profile - CP Nightlatch		SYNL1/SCYL/CP
	Yale Profile - GLD Nightlatch		SYNL1/SCYL/GLD
Streamlatch			
	Description	Trade Pack Part Number	
	211 Streamlatch - 60mm	L211SPA0	
	211 Streamlatch - no cylinder	L211SPAONOCYL	
	200 Streamlatch - Narrow - 38mm	L200SPA0	
Streamlock Deadbolt			
	Description	Trade Pack Part Number	
	213 Streambolt	L213SPA0	
	214 Streambolt - No Cylinder	L213SPAONOCYL	
Nightlatch Cylinders			
	Description	Trade Pack Part Number	Display Pack Part Number
	201 CYLINDER 5 PIN	L201CYLCP	L201CYLCPDP
			L201CYLPBDP
		L201CYLSC	L201CYLSCDP
	201 CYLINDER 6 PIN	17FB	MC17FB
		17PB	MC17PB
		17SC	MC17SC
		17SCLP (less plug)	
	201 CYLINDER 6 PIN - personalised engraving	17SCENG	
	201 CYLINDER 6 PIN Less plug - personalised engraving	17SCLPENG	

	2 Lever Rebated Lock	Silver/Satin Chrome	Polished Brass
	44.5mm Backset	UY2242-SE-2.50	UY2242-EB-2.50
	57mm Backset	UY2242-SE-3.00	UY2242-EB-3.00
	Pre Cut Keys		
	M21H - M40H for 2242	UK426M##H	
	3 Lever Mortice Lock	Silver/Satin Chrome	Polished Brass
	44.5mm Backset	UY2277-SC-2.50	UY2277-PL-2.50
	57mm Backset	UY2277-SC-3.00	UY2277-PL-3.00
   	3 Lever Horizontal Mortice Lock	Silver/Satin Chrome	Polished Brass
	101mm Backset	UY2077-SC-5.00	
	127mm Backset		UY2077-PL-6.00
	5 Lever Mortice Lock	Silver/Satin Chrome	Polished Brass
	44.5mm Backset	UY2201-SC-2.50	UY2201-PL-2.50
	57mm Backset	UY2201-SC-3.00	UY2201-PL-3.00
	5 Lever Mortice Deadlock	Silver/Satin Chrome	Polished Brass
	44.5mm Backset	UY2101-SC-2.50	UY2101-PL-2.50
	57mm Backset	UY2101-SC-3.00	UY2101-PL-3.00
	Key Blanks		
	For 2077, 2177, 2277 Mortice Locks	UKB436	
	For 2101, 2201 Mortice Locks	UKB430	

	5 Lever Mortice Deadlock	Silver/Satin Chrome	Polished Brass
	40mm Backset - EN1634-1 - timber fire doors	UV-3G115-SC-67	UV-3G115-PL-67
	40mm Backset - Trade Pack	U3G114-SC-67	U3G114-PL-67
	53mm Backset - Trade Pack	U3G114-SC-80	U3G114-PL-80
	Rebate Kit to Suit 3G114, 3G115	Silver/Satin Chrome	Polished Brass
	13mm Rebate Kit	U3G114R-SC-13	U3G114R-PL-13
	5 Lever Mortice Lock - Roller Bolt	Silver/Satin Chrome	Polished Brass
	40mm Backset	UV-3K75-SC-67	UV-3K75-PL-67
	40mm Backset - EN1634-1 - timber fire doors	U3K74-SC-67	U3K74-PL-67
	5 Lever Narrow Stile Mortice Lock	Silver/Satin Chrome	Polished Brass
	36mm Backset	U3G220-SC-54	
	Rebate Kit to Suit 3K74, 3K75	Silver/Satin Chrome	Polished Brass
	13mm Rebate Kit	U3K74R-SC-13	U3K74R-PL-13
	5 Detainer Mortice Locks	Silver/Satin Chrome	Polished Brass
	44mm Backset - EN1634-1 - timber fire doors	U3G110-SC-73	
			
	Rebate Kit to Suit 3G110, 3G135	Silver/Satin Chrome	Polished Brass
	13mm Rebate Kit	U3G110R-SC-13	U3G110R-PL-13
	5 Detainer Deadlocking Latch	Silver/Satin Chrome	Polished Brass
	44mm Backset - LH - EN1634-1 - timber fire doors	U3R35-SC-80-LH	
	44mm Backset - RH - EN1634-1 - timber fire doors	U3R35-SC-80-RH	
	5 Detainer Hook Bolt	Silver/Satin Chrome	Polished Brass
	43mm backset - EN1634-1 - timber fire doors	U3M51-GT-70	U3G110R-PL-13
			
	Euro Cylinder Mortice Lock	Silver/Satin Chrome	Polished Brass
	44mm Backset - Deadlock - lockbody only	U3C10-SC-73	
	44mm Backset - Sashlock - lockbody only	U3C20-SC-73	
	Euro Cylinder Escutcheon	U3C14E-SC	

Levers to Suit 3G115, 3G114, 3G220, 3G224, 3K74, 3K75		
	Description	Part Number
	Pack of 10 x Lever Assembly #1 (Levers only, keys not included)	U3G114-053
	Pack of 10 x Lever Assembly #2 (Levers only, keys not included)	U3G114-054
	Pack of 10 x Lever Assembly #3 (Levers only, keys not included)	U3G114-055
	Pack of 10 x Lever Assembly #4 (Levers only, keys not included)	U3G114-056
	Pack of 10 x Lever Assembly #5 (Levers only, keys not included)	U3G114-057
	Pack of 10 x Lever Assembly #6 (Levers only, keys not included)	U3G114-058
	Pack of 10 x Lever Assembly #7 (Levers only, keys not included)	U3G114-059
	Pack of 10 x Lever Assembly #8 (Levers only, keys not included)	U3G114-060
Standard Thrower		
	Description	Part Number
	To Suit 3G114, 3G115, 3K74, 3K75	U3G114-P9-NP
Detainers to Suit 3G110, 3K70, 3M51, 3R35, 3M50		
	Description	Part Number
	Pack of 10 x Detainer #1	U3G110-8S-1
	Pack of 10 x Detainer #2	U3G110-8S-2
	Pack of 10 x Detainer #3	U3G110-8S-3
	Pack of 10 x Detainer #4	U3G110-8S-4
	Pack of 10 x Detainer #5	U3G110-8S-5
	Pack of 10 x Detainer #6	U3G110-8S-6
	Pack of 10 x Detainer #7	U3G110-8S-7
	Pack of 10 x Detainer #8	U3G110-8S-8
	Pack of 10 x Detainer #9	U3G110-8S-9
Standard Thrower		
	Description	Part Number
	To Suit 3G110, 3R35, 3M51	U3G110-P230
Key Blanks		
	Description	Part Number
	To Suit 3G110	UK521-S
	To Suit 3G114, 3G115, 3K74	UK722-S
Commercial Door Viewer		
	Description	Part Number
	40 - 95mm Door Thickness	UWS9-CH

HINGE DOOR LOCK OPTIONS			
	Description	Trade Pack Part Number	Display Pack Part Number
	Screen Door Lockset inc Cyl (aka Tasman MK 2)	MC608BLS	MC608B
	BLK - Tasman MK 2 Body and Handles only	LW892117	
	White - Tasman MK 2 Body and Handles only	LW892116	
	Tasman MK2 - 3 Point Kit - additional to lockset	LW893117	
	Tasman MK 2 Extended Strike	LW844500	
	BLK - 8654 - Lockset - no Cyl	L8654BLK	
	White - 8654 - Lockset - no Cyl	L8654WH	
	8654 - 3 Point Kit - additional to lockset	L8654-3PK	
SLIDING DOOR LOCK OPTIONS			
	Description	Trade Pack Part Number	
	BLK - 8653 Lockset - no Cyl	L8653BLK	
	White - 8653 Lockset - no Cyl	L8653WH	
	BLK - Leichhardt - Lockset - No Cyl	LW867917	
	White - Leichhardt - Lockset - No Cyl	LW867916	
	8653 - 3 Point Kit - additional to lockset	L8653-3PK	

SCREEN DOOR EURO CYLINDERS - LAZY CAM



	Description	Trade Pack Part Number
	5PIN DBL CYL - KD	LW841200
	5PIN DBL CYL - KA - PAIRS	LW842200
	5PIN DBL CYL - KA - 10's	LW842500
	5PIN DBL CYL - KD	P33097
	5PIN Cyl & Turn - non handed - KD	W845900
	6PIN DBL - KD	L9555-302CP
	6PIN DBL - KIT - unassembled components	L9555-3CP
	6PIN DBL - NO BARRELLS - Requires 2 x 9555-3 barrel	L9555-3NBNSDSC
	6 PIN Cyl & Turn KIT - unassembled components	L9555-4CP
	6 PIN Cyl & Turn - NO BARREL - Requires 9555-4 barrel	L9555-4NBNTSC

SCREEN DOOR CLOSERS

	Description	Trade Pack Part Number	Display Pack Part Number
	Screen Door Closer - up to 21kg - BLACK	L403BLK	
	Screen Door Closer - up to 21kg - BROWN		L403BRNDP
	Screen Door Closer - up to 21kg - SILVER		L403SILDp
	Screen Door Closer - up to 21kg - WHITE	L403WH	
	Screen Door Closer - up to 21kg - BLACK	LW810517	
	Screen Door Closer - up to 21kg - SILVER		LW810711
	Screen Door Closer - up to 21kg - WHITE		LW810716
	Screen Door Closer - up to 21kg - BLACK		LW810717

SCREEN DOOR HINGES

	Description	Trade Pack Part Number
	Stepped Hinge - Steel - Fixed Pin - BLACK	LW831417
	Stepped Hinge - Steel - Fixed Pin - WHITE	LW831416


		22mm bolt	22mm bolt	35mm bolt	35mm bolt	35mm bolt
						
		Brass Cover Plate Metal Door	Aluminium Cover Plate Metal Door	Brass Cover Plate Timber Door	Brass Cover Plate Metal Door	Aluminium Cover Plate Metal Door
Lockbody Only		L3640SC	L3540SC	L3742SC	L3642SC	L3542SC
with Double Cylinder		L3640RRSC	n/a	n/a	L3642RRSC	L3542RRSC
with Single Cylinder & T2 Turn		L3640RT2SC	n/a	n/a	L3642RT2SC	n/a
with Single Cylinder & T4 Turn		n/a	L3540RT4SC	n/a	n/a	L3542RT4SC
with Single Cylinder & T3 Turn		n/a	n/a	L3742RT3SC	n/a	n/a
with T4 Turn only		n/a	L3540T4SC	n/a	n/a	n/a

3540/3542 Short Backset (23mm) / Mortice 22 & 35mm Bolt

Build from lockbodies and components below

ASSA ABLOY

All Levers and Turns come with Spindles and Adaptors to suit.		
	Single Cylinder - with R Cam	LSP3540-2SC
	Double Cylinder - with R Cam	LSP3540-701SC
	45 Degree Lever	LSP3540-L1SC
	90 Degree Lever RH	LSP3540-L2SC
	90 Degree Lever LH	LSP3540-L3SC
	Escape Turn	LSP3540-T1SC
	Tear Drop - Metal	LSP3540-T2SC
	Cylinder Turn Snib	LSP3540-T4SC
	Escape Turn RH door	LSP3540-T5SC
	Escape Turn LH door	LSP3540-T6SC
	R Cam (Rabbit)	LSP3540-815ZP
	Escutcheon and clip	LSP3540-CESC
	Anti Lock Adaptors	LSP3540-E
	Retrofit Bracket Kit - inc 2 brackets and screws	LSP3540-RB
	L1/T1 Accessory pack	LSP3540-123
	T2/T3 Accessory pack	LSP3540-125
	Timber Forend Plate	LSP3540-136SC



(Dimensions show hook bolt, long throw = 36mm Short Throw = 22mm)


Clutha Kits include Long (222mm x 25mm) and Short (155mm x 25mm) Face plates and strike.

	Short Throw (22mm) Double Cylinder	MC590STDCSC
	Short Throw (22mm) Cyl & Turn	MC590STCTSC
	Long Throw (36mm) Double Cylinder	MC590LTDSCSC
	Long Throw (36mm) Cyl & Turn	MC590LTCTSC

Clutha Accessories

	Oval Thumbturn for MC590/591	MC591S
	Oval Cylinder to MC590/591	MC590
	Cam for MC590/591	MC590CAM
	Oval Cylinder Escutcheon	570E
	Hook Bolt Strike	M1866
	Long Faceplate (222mm x 25mm)	M1791
	Cylinder Retaining Screw	M1793

30mm Optimum will directly retrofit old Black Milton options.



To ID short or long throw in the retracted position, see the 'kidney bean' on the side of the lockbody.
If 'gold' = Long Throw.
If 'silver' = Short Throw.

Optimum Hinge Door Mortice Locks

	30mm	40mm	50mm	60mm
Locking Latch	OP50100	n/a	n/a	n/a
Short Throw 2 Pt (13mm)	OP50200	OP50300	OP50400	OP53000
Long Throw 2 Pt (24mm)	OP50500	OP50600	OP50700	OP53100
Short Throw 4 Pt (13mm)	OP50800	OP50900	OP51000	OP53200
Long Throw 4 Pt (24mm)	OP51100	OP51200	OP51300	OP53300

Induro Hinge Door Mortice Locks

Induro2 Point can be adjusted from short to long throw at the turn of a screw while the bolt is retracted.


Reduce your stock holdings while covering your requirements. Retrofits the same footprint as Milton and Optimum. Available Q3 2021

	30mm	40mm	50mm	60mm
Short Throw 2 point	INDU82200	INDU82300	INDU82400	INDU82500
Long Throw 2 point	INDU82600	INDU82700	INDU82800	INDU82900

Yale Single Point Lock Bodies

With a 240mm forend plate the Yale Single Point is a direct retrofit to other locks in the market. As well as being a passable retrofit solution for the original residential Lockwood oval cylinders, using the 25mm backset option.

Description	Part Number
25mm Single Pt Lock	Y7725
30mm Single Pt Lock	Y7730



Roller Ball Locks & Accessories

Bolt Throw And Strength Adjustable Through The Forend Plate.

	40mm	50mm
	OP51600	OP51700
	Iseo to Optimum Roller Ball Retrofit Forend	PQ70207


Optimum Pool Lock - Fits the Optimum

	Description	Part Number
	Optimum 30mm backset Pool Kit (Includes LSP8530-517SC turns)	P84146SC

Retrofit forend plate to cover old footprints

	Description	Part Number
	300mm Optimum forend plate	PQ70185

Verona Door Furniture




All Sets and single handles come with drive bars and screws.


Standard Set	Patio Set	Non Lock Set	Ext Lock 1/2	Ext Non Lock 1/2	Int Lock 1/2	Int Non Lock 1/2
						
VR10485B	VR10385B	VR10100B	VR10885B	VR10900B	VR10685B	VR10700B

Verona Escutcheons


Standard Set	Standard 1/2 Set	Low Profile 1/2 Set 4mm
		
P84028B	P84071B	P84097B



Summit - L1



Aria - 27



Acacia - 29

All Sets and single handles come with drive bars and screws, ARIA image shown.

Replace '27' with '29' for ACACIA or 'L1' for SUMMIT.

Standard Set	Patio Set	Non Lock Set	Ext Lock 1/2	Ext Non Lock 1/2	Int Lock 1/2	Int Non Lock 1/2
LPL1048527B	LPL1038527B	LPL1010027B	LPL1088527B	LPL1090027B	LPL1068527B	LPL1070027B

Palladium Escutcheons		
Standard Set	Standard 1/2 Set	Low Profile 1/2 Set 4mm
PA1202B	PA1102B	PA1101B

4 Point Accessories

	Description	Part Number
	Threaded Rods and Nylon Tips (1 x 1m, 1 x 1.3m)	P33096
	1m Rod Extension	P84017
	Rod Joiner	P84092
	Nylon Rod Tip Kit - 2 x D Tips	P84094

Verona Spindles and Accessories

	Verona (old style only) Drive Bar - 92 x 8mm	P84214
	Verona (old style only) Drive Bar - 115 x 8mm	P33152
	Verona (current) and Palladium Drive Bar - 92 x 7.6mm	P35500
	Verona (current) and Palladium Drive Bar - 104 x 7.6mm	P35501
	Stepped Drive Bar - 92 x 7.6mm	P087873
	Verona Flush Plate	P84123B
	Palladium Flush Plate	PA1301B
	49mm - BLK Screw pack - inc 1 x cyl retaining screw, 2 x Forend plate screws, 2 x 49mm Furniture Screws	P84044
	49mm - SS Screw pack - inc 1 x cyl retaining screw, 2 x Forend plate screws, 2 x 49mm Furniture Screws	P84043
	Verona/Palladium Long Screw - M4 x 70mm (100's only)	8019
	BLK - Verona/Palladium Screw - M4 x 55mm/each	PSP078691
	SS Verona/Palladium Screw - M4 x 55mm/each	PSP078690
	Palladium Fixed Plate - current Verona and Palladium	PA40012



	DBL	C&T	1/2 T	1/2 C	DP*
					
Locking Latch	VR50101B	VR50102B	VR50103B	VR50104B	VR50102BDP
Short Throw 2 Point (13mm)	VR50201B	VR50202B	VR50204B	VR50203B	VR50202BDP
Long Throw 2 Point (24mm)	VR50501B	VR50502B	VR50504B	VR50503B	
Short Throw 4 Point (13mm)	VR50801B	VR50802B	VR50804B	VR50803B	
Long Throw 4 Point (24mm)	VR51101B	VR51102B	VR51104B	VR51103B	

Palladium** With Optimum 30mm Backset Kits



SUMMIT - L1



ARIA - 27



ACACIA - 29

	DBL	C&T	1/2 T	1/2 C
				
Locking Latch	PL50101##B	PL50102##B	PL50103##B	PL50104##B
Short Throw 2 Point (13mm)	PL50201##B	PL50202##B	PL50204##B	PL50203##B
Long Throw 2 Point (24mm)	PL50501##B	PL50502##B	PL50504##B	PL50503##B
Short Throw 4 Point (13mm)	PL50801##B	PL50802##B	PL50804##B	PL50803##B

Black Powdercoat specified above, please check eSHOP for availability of differing 'finish' options eg P or SPEC Powdercoat or SC plated.



	DBL	C&T	1/2 T	1/2 C
Short Throw 2 Point (13mm)	VR50301B	VR50302B	VR50304B	VR50303B
Long Throw 2 Point (24mm)	VR50601B	VR50602B	VR50604B	VR50603B
Short Throw 4 Point (13mm)	VR50901B	VR50902B	VR50904B	
Long Throw 4 Point (24mm)	VR51201B	VR51202B	VR51204B	

Palladium** With Optimum 40mm Backset Kits



SUMMIT - L1



ARIA - 27



ACACIA - 29

	DBL	C&T	1/2 T	1/2 C
Short Throw 2 Point (13mm)	PL50301##B	PL50302##B	PL50304##B	PL50303##B
Long Throw 2 Point (24mm)	PL50601##B	PL50602##B	PL50604##B	PL50603##B
Short Throw 4 Point (13mm)	PL50901##B	PL50902##B	PL50904##B	PL50903##B
Long Throw 4 Point (24mm)	PL51201##B	PL51202##B	PL51204##B	PL51203##B

Black Powdercoat specified above, please check eSHOP for availability of differing 'finish' options eg P or SPEC Powdercoat or SC plated.



	DBL	C&T	1/2 T	1/2 C	DP*
Short Throw 2 Point (30mm)	VR82201B	VR82202B	VR82203B	VR82204B	VR82202BDP
Long Throw 2 Point (30mm)	VR82601B	VR82602B	VR82603B	VR82604B	
Short Throw 2 Point (40mm)	VR82301B	VR82302B	VR82303B	VR82304B	
Long Throw 2 Point (40mm)	VR82701B	VR82702B	VR82703B	VR82704B	
Short Throw 2 Point (50mm)	VR82401B	VR82402B			

Palladium** With Induro 2-Point Kits 30/30 Euros



SUMMIT - L1



ARIA - 27



ACACIA - 29

	DBL	C&T	1/2 T	1/2 C
Short Throw 2 Point (30mm)	PL82201##B	PL82202##B	PL82203##B	PL82204##B
Long Throw 2 Point (30mm)	PL82601##B	PL82602##B	PL82603##B	PL82604##B
Short Throw 2 Point (40mm)	PL82301##B	PL82302##B	PL82303##B	PL82304##B
Long Throw 2 Point (40mm)	PL82701##B	PL82702##B		PL82704##B
Short Throw 2 Point (50mm)	PL82401##B	PL82402##B		

Palladium** With Induro 2-Point Kits 34/34 Euros

	DBL	C&T	1/2 T	1/2 C
Short Throw 2 Point (40mm)	PL82325##B	PL82326##B	PL82327##B	PL82323##B
Short Throw 2 Point (50mm)	PL82425##B	PL82426##B	PL82427##B	

Apex Mini lever


Suits Optimum or Induro 50mm or 60mm. Works with square drive latches too. Add B P SPEC to the end of the code for powdercoat options.

PQ30539	PQ30529	PQ30540	PQ30530

Black Powdercoat specified above, please check eSHOP for availability of differing 'finish' options eg P or SPEC Powdercoat or SC plated.

2 and 4 Point Strikes		
	Description	Part Number
	ASL MK1 Strike Kit - 162 x 55 x 24mm - BLK	P33450
	ASL MK1 French Door Strike Kit - 162 x 28 x 15mm - BLK	P33451
	ASL MK2 - Strike Kit - 164 x 42 x 23.5mm - BLK	P33455
	ASL - Adjustable Rod Strike Kit - 45 x 40 x 6mm	P33456
	ASL MK2 - Adjustable 4 Point Strike Kit - 164 x 43 x 23.5mm BLK	P33457
	Fletchers - 4 Point Strike Kit - 162 x 48 x 12.5mm - BLK	P33430
	Fletchers French Door 4 Point Strike Kit - 162 x 29 x 12.5mm - BLK	P33431
	Fletchers D Tip Guide	P33433
	NZAF Strike - 195 x 34mm - SS	C3297
	Optimum French Door Strike Kit - LH - 188 x 30 x various packers - SS	P3352AFLSS
	Optimum French Door Strike Kit - RH - 188 x 30 x various packers - SS	P3352AFRSS
	Optimum Casement Door Strike - LH - 188 x 49 x various packers - SS	P3352CDLSS
	Optimum Casement Door Strike - RH - 188 x 49 x various packers - SS	P3352CDRSS
	Optimum Extended Casement Door Strike - RH - 188 x 92 x packer - SS	P3352TCLSS
	Optimum Extended Casement Door Strike - LH - 188 x 92 x packer - SS	P3352TCRSS
	Optimum Timber French Door Rebate Kit - LH - 247 x 29.5mm x packer - SS	P3352TFLSS
	Optimum Timber French Door Rebate Kit - RH - 247 x 29.5mm x packer - SS	P3352TFRSS
	Lockwood Strike LH - 202 x 44.5mm - SS	P33135LH
	Lockwood Strike RH - 202 x 44.5mm - SS	P33135RH
	Optimum Forend Plate Packer	P33116

2 and 4 Point Strikes		
	Description	Part Number
	Optimum 180 X 48mm Strike - SS	P33007
	CHH - Fletcher Strike - 180 X 51mm - SS	P33012
	ASL 195 X 38.5mm strike - SS	P33025
	195 x 34mm - Strike - Brass	P33037
	Optimum Strike - 170 x 30mm - SS	P33038
	Pacific Strike - 160 x 46mm - SS	P33100
	Pacific GB Strike - 160 x 40.5mm - SS	P33102
	Optimum Strike 161 x 30 x 8mm - BLK	P33129B
	Optimum Strike 161 x 30 x 10mm - BLK	P33130B
	Optimum Strike 161 x 30 x 11mm - BLK	P33146B
	APL - Res/Met Optimum 2 Point Adjustable Strike - BLK	P33172B
	Optimum Strike with lead-in - 172 x 96 x 8mm - BLK	P33147B
	Optimum Strike - 161 x 52 x 10mm - BLK	P33156B
Latch Strikes		
	Description	Part Number
	Entrance Set Strike & Packer Kit - BLK	P33190B
	Optimum Latch Strike - 21mm - SS	P33009
	Optimum Latch Strike - 30mm - SS	P33010
	Optimum Latch Strike - 27mm - SS	P33011



		Albany D/Pull	Albany D/Flush	Aria D/Pull	Aria D/Flush	Pull/Pull
						
Non Lock	snib only	AL900010B	AL908010B	EN900010B	EN908010B	EN920010B
Ext cylinder 5 Pin		AL901210B	n/a	EN901210B	n/a	EN930010B
Deadlock - 5 Pin		AL911310B	n/a	EN911310B	n/a	EN931310B
Deadlock inside - 5 Pin		AL910110B	AL918110B	EN910110B	n/a	EN930110B
Ext Cyl 6 Pin		AL901510B	n/a	EN901510B	n/a	n/a
Deadlock 6 pin		AL911610B	n/a	EN911610B	n/a	n/a
Bipart	built in strike	AL800040B	AL808040B	EN800040B	EN808040B	EN820040B
Dummy	no lock	AL800000B	AL808000B	EN800000B	EN808000B	EN820000B
Display Pack	single cylinder	AL901210BDP	n/a	EN901210BDP	n/a	n/a
	double cylinder	AL911310BDP	n/a	EN911310BDP	n/a	n/a

SURFACE INTERIOR PULLS		
NON LOCK	LOCK	DUMMY
		
AA100B	AA101B	AA102B

SURFACE EXTERIOR PULLS	
NON LOCK	LOCK
	
AA200B	AA201B

Aria Endeavour - Handles for Surface

SURFACE INTERIOR PULLS						SURFACE EXTERIOR PULLS	
NON LOCK	LOCK	DUMMY	NON LOCK	LOCK	DUMMY	NON LOCK	LOCK
							
EA100B	EA101B	EA102B	EA103B	EA104B	EA105B	EA200B	EA201B

Endeavour - Surface Lock Components

LOCK	DUMMY	Albany	Aria		Exterior	Disability
CHASSIS	CHASSIS	3mm Packer	3mm Packer	Chassis Packer	Cover Plate	Snib
						
EA402	EA401	AA500B	EA501B	EA502	P3050B	EA30164B

5 Pin	5 Pin	5 Pin	6 Pin	6 Pin	6 Pin
Int Cyl	Ext Cyl	Pair Cyls	Int Cyl	Ext Cyl	Pair Cyls
					
EA701	EA702	EA703	EA704	EA705	EA706


Aria Endeavour Components


EXT 5 Pin Red	EXT 6 Pin Grey	INT cyl Wedge	80mm Tailbar	Standard Tailbar	Screw Pack	BiPart Screw Pack	2 x 70mm Ext Pull screw
							
EA710	EA711	EA712	PQ70052	PQ70051	EA801	EA802	EA803

Albany Endeavour Components

Albany Exterior Cylinder Retainer 5 - 6 pin	INT cyl Wedge	80mm Tailbar	Standard Tailbar	Screw Pack	BiPart Screw Pack	2 x 70mm Ext Pull screw
						
PC2763	EA712	PQ70052	PQ70051	EA801	EA802	EA803


Endeavour Strike Options

Standard Strike	5mm packer used with EA301	5mm packer W/O rebate	Surface Fix Strike	BiPart Strike	BiPart Strike 8mm Packer	Wide Strike Surface Fix	Standard Fix Wide Strike - +4mm
							
EA301B	EA601B	EA602B	EA303B	EA304B	EA609B	EA306B	EA308B



Internal D Locking

Exterior Pull Locking



Internal D Non Locking

Exterior Pull Non Locking

		Albany D/Pull	Aria D/Pull	Pull/Pull	Pull/Flush
					
Non Lock	snib only	AM6000A0B	EM6000A0B	EM6200A0B	EM6280A0B
Ext cylinder 5 Pin		AM6012A0B	EM6012A0B	EM6212A0B	n/a
Deadlock - 5 Pin		AM7113A0B	EM7113A0B	EM7313A0B	n/a
Deadlock inside - 5 Pin		AM7101A0B	EM7101A0B	EM7301A0B	EM7381A0B
Dummy	No lock	AM800000B	EM800000B	EM820000B	n/a

SBML ALBANY INTERIOR PULLS

NON LOCK	LOCK	DUMMY
		
AA112B	AA113B	AA114B

SBML EXTERIOR PULLS


NON LOCK	LOCK
	
AA200B	AA201B

SBML ENDEAVOUR INTERIOR PULLS

NON LOCK	LOCK	DUMMY	NON LOCK	LOCK	DUMMY	NON LOCK	LOCK
							
EA112B	EA113B	EA114B	EA115B	EA116B	EA117B	EA200B	EA201B

SBML COMPONENTS


SBML EXT cylinder - C4 5 Pin	SBML Snib Chassis	Deadlock Indicator Chassis	Dummy Chassis	SBML Lockbody
				
180250	EA403B	EA404	EA405	191014



	Description	Trade Pack	Display Pack
	5 Pin - Locking	LW540117	MC1140DB
	Non Lock - Internal Snib only	LW540717	
	Mawson Handle 5mm packer	LW548317	
	Mawson Strike	LW548217	
	5 Pin Cylinder	LW531100	
	Locking Ext Pull	W548017	
	Non Locking Ext Pull	W548117	
	64mm screw 100's	LS069000	


Yale Sliding Door Lock - Albany

	Description	Trade Pack	Display Pack
	5 Pin Locking Albany		MC182010B
	Non Locking Albany		MC182000B
	5 Pin Ext Cyl	180250	
	5 Pin Int Cyl - cropped for Daylatch (obsolete)	180280	
	Replacement Snib		MC086127B



		30mm with Handle	30mm no handle	35mm With Handle	35mm no handle	40mm with Handle	40mm no handle
Cylinder							
Std Double - E 30/30		PS8002427B	PS80024B	PS8012427B	PS80124B	PS8022427B	PS80224B
Std Cyl/Turn - 30/30		PS8000227B	PS80002B	PS8010227B	PS80102B	PS8020227B	PS80202B
Std 1/2 Cyl - 10/30		PS8000427B	PS80004B	PS8010427B	PS80104B	PS8020427B	PS80204B
Std 1/2 Turn - 10/30		PS8000327B	PS80003B	PS8010327B	PS80103B	PS8020327B	PS80203B
Extended Double - E - 34/34		PS8002527B	n/a	PS8012527B	n/a	PS8022527B	n/a
Extended Cyl/Turn - 34/34		PS8002627B	n/a	PS8012627B	n/a	PS8022627B	n/a
Extended 1/2 Turn - 10/34		PS8002327B	n/a	PS8012327B	n/a	PS8022327B	n/a
Extended 1/2 Cyl - 10/34		PS8002727B	n/a	PS8012727B	n/a	PS8022727B	n/a

Black Powdercoat specified above, please check eSHOP for availability of differing 'finish' options eg P or SPEC Powdercoat or SC plated.







In 2020 the pinnacle was modified, as was the strike. This means that all retrofit jobs require a new strike to suit new bolt.

OPTIMUM Small anti-slam, Dual flyout beaks		30mm	35mm	40mm
	1 point	OP60000	OP60100	OP60200
	3 point	OP60400	OP60500	OP60600
	Adjustable Strike			P33600
	Adjustable Strike Packer			PQ60288
	Non Adjustable Strike			PQ70188
PINNACLE Large anti-slam, Single Hook		30mm	35mm	40mm
	1 point	PI80000	PI80100	PI80200
	Adjustable Strike			PQ30656
	Strike Packer			PQ60417

Cavity Locks				
60mm Backset, 32 - 40mm door thickness				
		Satin Pearl	Black	Chrome Plate
	Passage	L7450SPDP	7450MBKDP	L7450CPDP
	Privacy	L7400SPDP	7400MBKDP	L7400CPDP
	Entrance	L7444SPDP	7444MBKDP	L7444CPDP
60mm Backset, 32 - 40mm door thickness				
	Passage	L7350SSDP		
	Privacy	L7300SSDP		


Flush Pulls

FP1 - Available in 2 sizes (120 x 50mm and 150 x 50mm), fixing screws included				
		Satin Stainless Steel	Polished Stainless Steel	Black
	120mm	FP1-120SS	FP1-120PS	
	150mm	FP1-150SS	FP1-150PS	
FP2 - Available in 2 sizes (120 x 50mm and 150 x 50mm), fixing screws included				
	120mm	FP2-120SS	FP2-120PS	FP2-120MBK
	150mm	FP2-150SS	FP2-150PS	FP2-150MBK

		23mm	23mm	23mm	30mm	30mm
		 Aluminium Cover Plate Metal Door	 Brass Cover Plate Metal Door	 Brass Cover Plate Timber Door	 Aluminium Cover Plate Metal Door	 Brass Cover Plate Timber Door
Lockbody Only		L3541SC	L3641SC	L3741SC	L5541SC	L5741SC
with Single Cylinder		L3541RSC	n/a	n/a	n/a	n/a
with Double Cylinder		n/a	L3641RRSC	n/a	n/a	n/a
with Single Cylinder & T2 Turn		n/a	L3641RT2SC	n/a	L5541RT2SC	L5741RT2SC
with Single Cylinder & T4 Turn		L3541RT4SC	L3641RT4SC	n/a	L5541RT4SC	n/a
with T4 Turn only		L3541T4SC	n/a	n/a	n/a	n/a
with Single Cylinder & T1 Turn		n/a	n/a	n/a	L5541RT1SC	n/a
Strikes sold Separately						
Latching Strike - Fabricator		LSP3540-LSSC				
Security Strike - Fabricator		LSP3540-SSSC				
Latching Strike - Timber		LSP3640-LSSC				
Security Strike - Timber		LSP3640-SSSC				

Build from lockbodies and components below

All Levers and Turns come with Spindles and Adaptors to suit.		
	Single Cylinder - with R Cam	LSP3540-2SC
	Double Cylinder - with R Cam	LSP3540-701SC
	45 Degree Lever	LSP3540-L1SC
	90 Degree Lever RH	LSP3540-L2SC
	90 Degree Lever LH	LSP3540-L3SC
	Escape Turn	LSP3540-T1SC
	Tear Drop - Metal	LSP3540-T2SC
	Cylinder Turn Snib	LSP3540-T4SC
	Escape Turn RH door	LSP3540-T5SC
	Escape Turn LH door	LSP3540-T6SC
	R Cam (Rabbit)	LSP3540-815ZP
	Escutcheon and clip	LSP3540-CESC
	Anti Lock Adaptors	LSP3540-E
	Retrofit Bracket Kit - inc 2 brackets and screws	LSP3540-RB
	L1/T1 Accessory pack	LSP3540-123
	T2/T3 Accessory pack	LSP3540-125
	Timber Forend Plate	LSP3540-136SC



(Dimensions show hook bolt, long throw = 36mm Short Throw = 22mm)

Clutha Kits include Long (222mm x 25mm) and Short (155mm x 25mm) Face plates and strike.

	Double Cylinder	MC591DCSC
	Cyl & Turn	MC591CTSC
Clutha Accessories		
	Oval Thumbturn for MC590/591	MC591S
	Oval Cylinder to MC590/591	MC590
	Cam for MC590/591	MC590CAM
	Oval Cylinder Escutcheon	570E
	Hook Bolt Strike	M1866
	Long Faceplate (222mm x 25mm)	M1791
	Cylinder Retaining Screw	M1793

Assure Keyed - suits door thickness 35 - 57mm (Gripsets max door 45mm) 54mm bore hole, adjustable 60-70mm bolt.

			
YRD226NRSN	Black version ETA late 2021	YRD226/GRIPSET/ASN	YRD226/GRIPSET/MSN


Assure Lever - suits door thickness 35 - 44.5mm, 54mm bore hole, adjustable 60 -70mm latch.

			
YRL256NRSN	Keyed SN version ETA late 2021	Keyed ORB version ETA late 2021	Keyed Black version ETA 2022

Assure SL - suits door thickness 35 - 57mm (Gripsets max door 45mm) 54mm bore hole, adjustable 60-70mm bolt.

		
YRD256NRSN	YRD256/GRIPSET/ASN	YRD256/GRIPSET/MSN
		
YRD256NRMBK	YRD256NRORB	YRD256/GRIPSET/MMBK

Accessories

		
YRDBOLTSN	SYHAGSSN	Coming soon

Yale Access Kit - Yale Assure range works with Yale Access kit includes Yale Wi-Fi Bridge, Yale Access Module and Doorsense™.

	
YD-ACCESSKIT	
Yale Assure Z-Wave Network Module	Yale Assure Zigbee Network Module
	
YRD-ZWM-1	YRD-ZBM-1

3109+ - suits 40 - 95mm door thickness. Fixed backset of 60 or 70mm.
PIN, prox and Bluetooth Access (with Module added and Yale Link app) Key override, 9V battery backup.

Standard Mode - 40 Prox credentials (4 included) and 1 PIN / **Advanced Mode** - 40 Prox Credentials and 30 PIN's



SYDM3109PLUS/60



SYDM3109PLUS/70

4109+ - suits 40 - 95mm door thickness. Fixed backset of 60mm.
PIN, fingerprint and Bluetooth Access (with Module added and Yale Link app) Key override, 9V battery backup.

Standard Mode - 20 fingerprints and 1 PIN / **Advanced Mode** - 20 fingerprints and 30 PINs



SYDM4109PLUS

Strikes for 3109/4109

Aluminium Frame



2 x 2mm 1 x 6mm packer

SYDMSK01

Timber Door Rebate Kit



SYDMRK01

French Door Kit



SYDMFDK01

Proximity Credentials for 3109

Card



SYDMCARD

Dot x 2



SYDMPROXDP

Tag



YRD01-TAG

Bluetooth Module for Yale Link app



SYDMBLE-1

3109/4109 new cylinder and keys



SYDMKCSB

Unity - suits 35 - 60mm door thickness. Fixed 60mm backset '530' style latch. Lock setup by Yale Access app only, comes with 2 Prox tags to be programmed via app. Installs over 2x54mm holes as below.

		
YUR/DEL/1/SIL	05/301000/BL	YAL-AC02-ANZ

Glass Door Lock - Door thickness 10 – 12mm

	
SYDG313	SYDG313STRIKE

Yale Smart Latch - Rim Lock - suits 35 - 60mm door thickness, PIN and Prox. Suits most 60mm backset Nightlatches, not included.

Keypad & battery pack	Rim Lock
	
SYDL-SL01-SN	L002-1K1SP


Proximity Credentials for Unity, Glass Door Lock & Smart Latch

Card	Dot	Tag
		
SYDMCARD	SYDMPROXDP	YRD01-TAG

Field Selectable - Fail Safe or Fail Secure, 12-24V DC (Fail Safe by default). Comes with 1.6m cable in the box				
		MONITORED - No Cyl	MONITORED - 1 Cyl	NON - MONITORED - No Cyl
	60mm Backset	L3570ELM0SC	L3570ELM1SC	L3570ELN0SC
	89mm Backset	L4570ELM0SC		
	127mm Backset	L5570ELM0SC	L5570ELM1SC	
Synergy Accessories				
	12Wire Cable Assembly 7.5m		LSP3570-1055	
	9 to 12 pin wire adaptor for SYNERGY		LSP3570-5871	
	Lead Cover		LLC8810	

Lockwood Selector - Narrow Stile - Electric Mortice Locks

12/24V - Fail Safe/Fail Secure - With Standard and Long Forend Plates, X7 Cam included. Full range of Monitoring, on board status LED's for use with lense furniture below. Comes with 3.6m cable in the box.		
		Part Number
	23mm Backset	3782ELNZSS
	25.4mm Backset	4782ELNZSS
	30mm Backset	5782ELNZSS
	38mm Backset	6782ELNZSS
Accessories		
	Lead Cover	LLC8810
	9 to 12 pin wire adaptor for Selector	SP3782EL-251
	3782EL SERIES CABLE 3.6M	SP3782EL-252
	3782EL SERIES EXTENDED CABLE 7.5M	SP3782EL-253
	External Blank Plate with Lense	4812/70SC
	Internal Blank Plate with Lense	4912/70SC
	External Cyl Hole with Lense	4811/70SC
	Internal Cyl Hole with Lense	4911/70SC

Mag Locks			
	Description	Monitored (Hall Effect Only)	Monitored (Hall Effect And Reed Switch)
	Z2 Single - 300lbs	LT770150-010	
	Z4 Single - 600lbs	LT770300-010**	LT770300-012
	Z4 Double - 600/600lbs	n/a	LT770300-112
	Z4 Mortice - 600lbs	LT770300-210	
	Z8 - 1200lbs	LT770600-010**	LT770600-012
	Z8 Double - 1200/1200lbs	LT770600-110**	LT770600-112
	Z8 Weather Resistant - 1200lbs <i>(Weather Resistant Mag Lock not compatible with Z8 brackets below)</i>	LT770600-310	
Mag Locks			
	Description	Part Number	
	Z2 L & Z Brackets	LT770150-901	
	Z4 L & Z Brackets	LT770300-901	
	Z8 Single L & Z Door Brackets	LT770600-901	
	Z4 Glass Door Bracket	LT770300-905	
	Z8 Glass Door Bracket	LT770600-905	
	Z8 Double L & Z Door Brackets	LT770600-902	
	Z8 Adjustable Angle Bracket	LT770600-903	

**With LED

To Be Used With No Hub Disc Commercial Mortise Locks. Supplied With 38 -44mm Door Thickness Spindle, Options Up To 104mm. 570 Over Ride Cylinder Not Included.

	
PIN PROX - 100 User PINs, 250 Shadow Card Users	PROX - 250 Shadow Card Users

STEP 1 - Select Escutcheon To Suit Backset And Function.

To suit 30, 38mm Backset	SMA-SNAC46XL2V908SI	SMA-SNAC42XL2V908SI
To suit 60, 89, 127mm Backset	SMA-SNAC46XL2V648SI	SMA-SNAC42XL2V648SI

STEP 2 - Select Programming Credentials

	SMA-SNACKITSTASDW	Standalone Shadow Management Kit, Includes Shadow Programming Card, 24 MIFARE cards, Emergency Battery Kit
	SMA-SNACLICSTASDW	Standalone Shadow Programming Card

STEP 3 - Check door thickness to ensure correct spindle, 38-44mm included (See eSHOP for more options)



	SMA-STCCSPIAKIT4450	SPINDLE KIT, 44-50MM
	SMA-STCCSPIAKIT5056	SPINDLE KIT, 50-56MM
	SMA-STCCSPIAKIT5662	SPINDLE KIT, 56-62MM

STEP 4 - Select No Hub Disc Mortise Lock To Suit Application

	3572SCNOHD	SYNERGY - 60mm backset Mortice - No hub disc (no cam)
	3772NOHDSS	SELECTOR - 60mm backset Mortice - No hub disc (Includes V Cam)
	5782ENOHDSS	SELECTOR - 30mm backset Mortice - No hub disc (Includes V Cam, Short FEP)
	6782ENOHDSS	SELECTOR - 38mm backset Mortice - No hub disc (Includes V Cam, Short FEP)
	SP3780-036SS	Long Forend Plate for Narrow Stile

Step 5 - Choose Access Credentials As Required

	SMA-STCLLAS2N	Keyring Mifare Proximity Tag
	SMA-KFENGRAVED	Keyring Mifare Proximity Tag - Engraved
	SMA-SC002	Mifare Proximity Card - White
	AA-ACC-USER-CARD	Aa Branded User Cards (10'S) For Standalone Smartair Only
	SMA-KNOBSX2	Retrofit Knob X 2 (Can Replace Lever)

ES2100			
	High Security, Monitored, Fail Safe/Fail Secure changeable on site, 850kg holding force. 4 Hour Fire Rating on approved doors		
	112100-000	ES2100 - Cast Stainless Steel Body	
ES9000 - Preload Strike			
	Operates with up to 25kg of preload. 10-24VDC, Fail Safe/Fail Secure changeable on site, Monitored. 4 Hour Fire Rating on approved doors		
	119001-000	ES9000 - Preload strike	
ES2600 - Panic Bar Strike			
	High security, Monitored, designed to be used with crash bars. Fail Safe/Fail Secure changeable on site		
	LT112601-000	ES2601 - Panic Bar Strike	
ES100/ES110			
	12-24VDC, Fail Safe/Fail Secure changeable on site, Non-Monitored, IP56		
	110111-060M	ES111 12/24 VDC Weather Resistant	
	LT220110-502	ES110 15MM EXTENSION LIP	
	LT220110-503	ES110 25MM EXTENSION LIP	
	LT220110-504	ES110 50MM EXTENSION LIP	
ES200			
	12-24VDC, Fail Safe/Fail Secure changeable on site, Non-Monitored		
	LT110201-000	ES201 12VDC POWER-TO-LOCK (Fail Safe)	
	LT110202-000	ES202 12VDC POWER-TO-OPEN (Fail Secure)	
	LT220200-505	ES200/2000 25MM EXTENSION LIP	
	LT220200-506	ES200/2000 50MM EXTENSION LIP	
	LT220200-507	ES200/2000 75MM EXTENSION LIP	
ES2000			
	High Security, Monitored, Fail Safe/Fail Secure changeable on site, 12VDC, 850kg holding force		
	LT112002-000	ES2000 - 12V Fail Secure	
	LT220200-505	ES200/2000 25MM EXTENSION LIP	
	LT220200-506	ES200/2000 50MM EXTENSION LIP	
	LT220200-507	ES200/2000 75MM EXTENSION LIP	
ES3000			
	High Security, Monitored, Fail Safe/Fail Secure changeable on site, 12 or 24VDC, 850kg holding force		
	LT113201-030	ES3200 12V POWER-TO-LOCK (Fail Safe)	
	LT113203-030	ES3200 24V POWER-TO-LOCK (Fail Safe)	



Rethink The Key

The key has always been a critical element in security, and even with modern technological advancements the key still has a vital role to place. New methods of securing business sites and assets enable levels of flexibility and control which were only previously available with wired systems. With eCLIQ, ASSA ABLOY has redesigned the key to meet those challenges.

eCLIQ - a wireless key and lock system that combines the benefits of digital technology, including passwords, authentication, audit trails, flexible access control and so much more, with the security of market leading, fully tested mechanical locks

Talk to your rep for more information

eshop.assaabloy.co.nz

12VDC to 24VDC, Side Load/Pre Load - Lock will unlock with up to 15kg of side pressure, when wired in 3 wire mode.
Door Misalignment of up to 3.5mm+/-
11mm Diameter Bolt, 20.5mm Throw

	V-LOCK POWER-TO-LOCK 30MM FACEPLATE	LT118001-010
	V-LOCK POWER-TO-OPEN 30MM FACEPLATE	LT118002-010
	V-LOCK Glass Door Kit	LT218000-000

351 series

FAIL SAFE - Motorised version can operate on 12-24VDC. The Solenoid version is available in 12 OR 24VDC
Both come with armature and door positioning monitoring options. The 351 series can replace the Cobalt DA lock, using the kits below.

	12-24VDC - Fail Safe - Motorised Lock 351 Glass Door Kit for Motorised 351 351 Glass Door Kit - Strike Retrofit kit for Cobalt DA - using 351M, includes face plate & strike	351M80-N91 351M-SMHKIT-LK 351-SMHKIT-SK 351COBKIT-001
	12VDC - Fail Safe - Solenoid Lock 24VDC - Fail Safe - Solenoid Lock Retrofit kit for Cobalt DA - using 351U, includes face plate & strike	351U80-58135E91 351U80-58135F91 351COBKIT-002
	351 Glass Door Kit for Solenoid 351 351 Glass Door Kit - Strike	351U-SMHKIT-LK 351-SMHKIT-SK

ML5000 Series Cabinet Locks

Suits doors up to 23mm thick, uses 3 x AAA Alkaline batteries, can accept Micro USB battery backup
ML51 - 4-12 digit PIN, Private & Public Mode

	ML51 Left hand	ML51-KP-LH
	ML51 Right hand	ML51-KP-RH
	ML51 Vertical	ML51-KP-VERT

Suits doors up to 23mm thick, uses 3 x AAA Alkaline batteries, can accept Micro USB battery backup
ML52 - Up to 20 User Cards Per lock, accepts MIFARE Classic. Can be programmed to Private & Public Mode. Check brochure for further specifications.


	Comes with 2 Cards	ML52-READER
---	--------------------	-------------

Suits door thickness 35 - 48mm. Up to 40 Prox Cards and 20 PIN's. 530 latch option, narrow stile and Standard. Order NO HUB Mortice Locks seperately. Oval cylinder NOT included.

	Description	Part Number		
	Includes 530 latch, no key override	CTX530SC/530		
	60mm Escutcheon	CTX3772SC	+	3772NOHDSS
	Narrow Escutcheon	CTX5782SC	+	5782CTXNZSS (30mm, includes long face plate) 6782CTXNZSS (38mm, includes long face plate)

Accessories







	Description	Part Number
	Spare Cortex Cards (5's)	CTXCARD-05
	48 - 58mm door kit, includes, screws, spindle and extended lip strike.	CTX55KIT

	MC570	Oval Cylinder	 Ask your rep for personalized engraving
	MC570-50SC	Oval Cylinder - 50mm	
	MC570D	Oval Cylinder Dummy	
	MC570LP	Oval Cylinder less plug	
	MC571	Oval Thumbturn	
	MC570EXKIT	MC570 Barrel Extension Kit	
	MC570CS	Cam Screws x 100	


570 Extended Cylinder



Extension screws sold separately, extensions can be used with current Abloy 504 cylinders.

	L570E/SC	570 Extended cylinder base
	L570E/SCBK	570 Extended cylinder base - Less Plug
	L570/EXT07	7mm Extension
	L570/EXT10	10mm Extension
	L570/EXT24	24mm Extension
	LSRWM4-32SS	ST.ST. SCREW M4X32 TO SUIT 7-24MM EXTENTION
	LSRWM4-42SS	ST.ST. SCREW M4X42 TO SUIT 14-36MM EXTENTION
	LSRWM4-65SS	ST.ST. SCREW M4X65 TO SUIT 37-58MM EXTENTION
	LSRWM4-75SS	ST.ST. SCREW M4X75 TO SUIT 47-68MM EXTENTION

Oval Cylinder Cams				
	CAM ONLY	Single Cylinder with Cam	Double cylinder with Cam	
 "X" Cam	LSP570-18ZP	L570-2SC	L570-701SC	for Synergy
 "Y" Cam	LSP571-18ZP	L571-2SC	L571-701SC	for Synergy
 "Z" Cam	LSP572-18ZP	L572-2SC	L575-701SC	for Synergy
 "W" Cam	LSP575-18ZP	L575-2SC		for Synergy
 "M" Cam	LSP575-18ZP (W mounted upsidedown)	L575-52SC		for Synergy
	SP3700/VCAM	570C4/VSC		for Selector
	SP3700/X7CAM	570C4/X7SC		for Selector
 "RABBIT EAR" CAM	LSP3540-815ZP	LSP3540-2SC	LSP3540-701SC	
 Cam Screws	LSPWS801-1-2-2A			

	LSP3570-2402SC LSP3570-2452SC	Holdback Cyl RH for 3570 Holdback Cyl LH for 3570
	LSP3580-2402SC LSP3580-2452SC	Holdback Cyl RH for 3580 - Narrow Holdback Cyl LH for 3580 - Narrow



**"E/SAFETY" 5 PIN DOUBLE EURO CYLINDERS**

The E cylinder allow use of an external key when a key or MC35 is left in the internal side. E cylinders include V cut MC35 key blank. No MC Cap unless specified.

	Satin Chrome	Brass	Black	No of Pins	A	B
	P33275E	n/a		3	21	21
	P33280E	n/a		3	24	24
	P33022E	n/a		5	31	31
	P33022ESC (inc MC35 cap)	n/a		5	31	31
	P33276E	n/a	P33276EB	5	34	34
	P33235E	n/a		5	38	38
	P33040E	n/a		5	40	40
	P33016E	n/a		5	62	32
	P33260E	n/a		5	33	48
	P33274E	n/a		5/3	51	21


5 PIN DOUBLE EURO CYLINDERS

	Satin Chrome	Brass		No of Pins	A	B
	P33035	P33033		5	31	31
	P33235	P33233		5	38	38
		P33262		5	33	48
	P33293			5	26	38

5 PIN CYLINDER & TURN EURO CYLINDERS

	Satin Chrome	Brass	Black	No of Pins	A	B - Turn
	P33034	P33032		5	31	31
	P33277		P33277B	5	34	34
	P33234	P33232	P33234B	5	38	38
	P33041			5	40	40
	P33270			5	45	45
	P33261	P33263		5	33	48
	P33294			5	48	33
	P33017			5	62	32

Half Cylinder



5 PIN 1/2 EURO CYLINDER

	Satin Chrome	Brass		No of Pins	A	B
	P33066	P33067		4	10	26
	P33045	P33048		5	10	31
	P33279			5	10	34
	P33245			5	10	38
	P33042			5	10	40
	P33264	P33265		5	10	48

1/2 EURO TURN KNOB

	Satin Chrome	Brass	Black	No of Pins	A	B - Turn
	P33092	P33093		n/a	10	31
	P33278			n/a	10	34
	P33292		P33292B	n/a	10	38
	P33043			n/a	10	40
	P33231	P33230		n/a	10	48

6 PIN DOUBLE EURO CYLINDER


	Satin Chrome	Brass		No of Pins	A	B
	P33046	P33072		6	35	35
	P33046LP			n/a	35	35

6 PIN CYLINDER & TURN EURO CYLINDERS

	Satin Chrome	Brass		No of Pins	A	B - Turn
	P33047	P33071		6	35	35
	P33047LP			n/a	35	35
	P33046T	Euro Cylinder Pin Retaining Tool				

Euro Profile Cylinder Kits		
	Description	Part Number
	Double Cylinder Euro - Fixed Cam less plug	L9555-1NBNSDSC
	Cylinder & Turn Euro - Fixed Cam less plug	L9555-2NBNSTSC
	Half Euro - Fixed Cam less plug	L9555-5NBNSESC
	Double Cylinder Euro - Floating Cam less plug	L9555-3NBNSDSC
	Cylinder & Turn Euro - Floating Cam less plug	L9555-4NBNSTSC
	1/2 Euro - Fixed Cam with plug	L9555-502CP

Kawneer Cylinders



	Description	Part Number
	Round Threaded Cylinder for Adams Rite	L8466-1SC

Nightlatch Cylinders

	201 CYLINDER 6 PIN	17FB	MC17FB
		17PB	MC17PB
		17SC	MC17SC

	201 CYLINDER 6 PIN - personalised engraving	17SCENG
	201 CYLINDER 6 PIN Less plug - personalised engraving	17SCLPENG

For FLOATING CAM euro cylinders please see screen door lock section (page 69)

Gen6 - Gen6T My Profile/s _____ MyKey Blank Codes _____ LKBG6###/### per 500			
		Description	Part Number
	001 Plug 10's	001 Int Cyl, 680 Cyl (rounded body with oval screw hole plug cover)	LBG6001###SC
	201 Plug 10's	001, 002, 100, 201, 355, 303 & 213 Ext Cyls	LBG6201###SC
	530 Plug 10's	530, 930, 234 early removable core	LBG6530###SC
	570 Plug 10's	334, 570, 693	LBG6570###SC
	3570 Plug 10's	3570 & 3580 Holdback Cylinder	LBG63570###SC
	670 Plug 10's	670 Camlock	LBG6670###SC
	680 Plug 10's	680 - original version	LBG6680###3SC
	8221/PD/Schlage Plug 10's	Threaded Key N Knob Barrel	LBG68221###SC
	P33046 Plug 10's	Yale Euro - DC - Fixed Cam	LBG633046###SC
	P33047 Plug 10's	Yale Euro - C & T - Fixed Cam	LBG633047###SC
	8474 Plug 10's	8474 Locking Handle	LBG68474###CP
	9555-1 Plug 10's	9555-1 Cylinder DC - Fixed Cam	LBG695551###SC
	9555-2 Plug 10's	9555-2 Cylinder C & T - Fixed Cam	LBG695552###SC
	9555-3 Plug 10's	9555-3,4,5 Cylinders - Floating Cam	LBG695553###SC or CP

	Gen6 Colour Key insert/100's		Gen6T Colour Key insert/100's
	LCCG6BLACK		CCG6TBLACK
	LCCG6BLUE		CCG6TBLUE
	LCCG6DKGREEN		CCG6TDKGREEN
	LCCG6GREEN		CCG6TGREEN
	LCCG6GREY		CCG6TGREY
	LCCG6LTBLUE		CCG6TLTBLUE
	LCCG6ORANGE		CCG6TORANGE
	LCCG6PINK		CCG6TPINK
	LCCG6RED		CCG6TRED
	LCCG6VIOLET		CCG6TVIOLET
	LCCG6WHITE		CCG6TWHITE
	LCCG6YELLOW		CCG6TYELLOW

Plug availability differs depending on function and profile. Please check eshop for lead times to determine if they're stocked or not. Please check eShop for your profile and stock lead times

ANZLA - AN1, AN2, AN3, ANM LKBAN1/### key blanks 500's LKBAN2/### key blanks 500's LKBAN3/### key blanks 500's LKBANM/### key blanks 100's			
		Description	Part Number
	001 Plug 10's	001 Int Cyl, 680 Cyl (rounded body with oval screw hole plug cover)	LB001AN#SC
	201 Plug 10's	001, 002, 100, 201, 355, 303 & 213 Ext Cyls	LB201AN#SC
	530 Plug 10's	530, 930, 234 early removable core	LB530AN#SC
	570 Plug 10's	334, 570, 693	LB570AN#SC
	3570 Plug 10's	3570 & 3580 Holdback Cylinder	LB3570AN#SC
	670 Plug 10's	670 Camlock	LB670AN#SC
	680 Plug 10's	680 - original version	LB680AN#SC
	8221/PD/Schlage Plug 10's	Threaded Key N Knob Barrel	LB8221AN#SC
	P33046 Plug 10's	Yale Euro - DC - Fixed Cam	LB33046AN#SC
	P33047 Plug 10's	Yale Euro - C & T - Fixed Cam	LB33047AN#SC
	9555-1 Plug 10's	9555-1 Cylinder DC - Fixed Cam	LB95551AN#SC
	9555-2 Plug 10's	9555-2 Cylinder C & T - Fixed Cam	LB95552AN#SC
	9555-3 Plug 10's	9555-3,4,5 Cylinders - Floating Cam	LB95553AN#SC

RBA - RCA			
		Description	Part Number
	My Key Blank Code -	RBA	LKB500-661K0### 100's
		RCA	LKB500-663K0### 100's
	201 Plug 10's	RBA - 001, 002, 100, 201, 355, 303 & 213 Ext Cyls	LB201-611SC
	570 Plug 10's	RBA - 334, 570, 693	LB570-611SC
	8221/PD/Schlage Plug 10's	RBA - Threaded Key N Knob Barrel	LB8221-611SC
	201 Plug 10's	RCA - 001, 002, 100, 201, 355, 303 & 213 Ext Cyls	LB201-613SC
	570 Plug 10's	RCA - 334, 570, 693	LB570-613SC
	8221/PD/Schlage Plug 10's	RCA - Threaded Key N Knob Barrel	LB8221-613SC

Plug availability differs depending on function and profile. Please check eshop for lead times to determine if they're stocked or not. Please check eShop for your profile and stock lead times

	L692ASC	TUMBLER CUPBOARD LOCK 4 PIN	RH latching
	L692BSC	TUMBLER CUPBOARD LOCK 4 PIN	LH Latching
	L693ASC	TUMBLER CUPBOARD LOCK 5 PIN	RH latching
	L693BSC	TUMBLER CUPBOARD LOCK 5 PIN	LH Latching

Cam Locks

	The Lockwood 670 is a high quality cam lock, using the traditional Lockwood pin-tumbler cylinder mechanism. It features 90 degree rotation of the barrel, with key withdrawal in the vertical position		
	L670-20SC	670 CAMLOCK CYLINDER ASSY	
	L670NBNTESC	670 CAMLOCK CYLINDER NO BARREL	

A range of cam levers are available. Please check eshop for details.

	Description	Satin Chrome	Bright Chrome
	Narrow - 30mm Backset, 12mm Rebate	LL1700SPDP	LL1700CPDP
	Narrow - 30mm Backset	LL1701SPDP	LL1701CPDP
	42mm Backset, 12mm Rebate	LL1702SPDP	LL1702CPDP


Door Stops

	Description	Part Number	
	Half Moon	A290SC	A290MBK
	Floor Mounted	A280SS	A280MBK
	Wall Mounted	A320SC	A320MBK
	Con-Fix Wall Mounted - 92 x 19.5mm	A315SC	A315MBK
	Wall Mounted - 75 x 19mm	A300SS	
	Impact Door Stop		2307B
	Impact Door Stop with Cover		2308B
	Sliding Door Stop		2315

Rollers

Standard Roller	Description	Part Number
	25kg - Nylon Roller	30200
	50kg - Steel Roller	30250
	50kg - Stainless Steel Roller	30260
	Fixed Roller Carriage	30305
Standard Roller		
	Description	Part Number
	50kg - Stainless Steel Roller	30160
	25kg Roller	30100B
	50kg Roller	30150B
	100kg Roller	30130

Black Powdercoat specified above, please check eSHOP for availability of differing 'finish' options eg P or SPEC Powdercoat or SC plated.



Surface Mounted. Approximately 40mm backset.		
	Description	Part Number
	Polished Stainless Steel	L550PSDP
	Satin Stainless Steel	L550SSDP
	Satin	L801SP
Mortice Mounted. Approximately 40mm backset.		
	Description	Part Number
	Emergency Release - Slotted Turn	L811SP

Lockwood Bolts & Latches

	Description	Part Number
	7580 Roller Bolt - With adjustable bolt projection, kit includes 30mm & 90mm strike and fixing screws.	L7580SC
	6260 Privacy Bolt - Suitable for through fixing of disabled turns, and emergency indicating turns. Kit includes fixing screws and strike.	6260SSS
		6260PB
		6260PSS

See page 31, 32, 36 For escutcheon options. Best suited for back to back escutcheons.






TWINBOLT & ACCESSORIES		ARIA		UNO
LOCKING KIT		PB3022227B		P84217B
NON LOCKING KIT		PB3010027B		P84216B
HANDLE ONLY - 43mm screw centres		PB1070027B		P83001B
Low Profile Escutcheon		PA1101B		P84097B
LOCKBODY - LOCKING - inc Cylinder		P84131		
LOCKBODY - NON LOCKING		P84130		
C4 - Cylinder		70C4CYL		
Rods - (1 x 1.3m, 1 x 1m)		P33096		
Twinbolt Cover Plate		P84220B		
Twinbolt Cylinder Kit		70C4CYLB		

Black Powdercoat specified above, please check eSHOP for availability of differing 'finish' options eg P or SPEC Powdercoat or SC plated.




Pinnacle & Accessories		Aria		Uno
LOCKING KIT - 30mm - Std 1/2 Cyl - inc LP MC35		PBE3110427B		UB31104B
LOCKING KIT - 30mm - 10/34 1/2 Cyl - inc LP MC35		PBE3112727B		
NON LOCKING KIT - 30mm		PBE3100027B		UB31000B
HANDLE ONLY - 65mm screw centres		PBE1120027B		UB11200B
Low Profile Escutcheon		PA1101B		P84097B
LOCKBODY - LOCKING - 30mm		PI31100		
LOCKBODY - LOCKING - 35mm		PI31300		
LOCKBODY - LOCKING - 40mm		PI31500		
LOCKBODY - NON LOCKING - 30mm		PI31000		
LOCKBODY - NON LOCKING - 35mm		PI31200		
LOCKBODY - NON LOCKING - 40mm		PI31400		
Rods - (1 x 1.3m, 1 x 1m)		P33096		
Rod Tip Kit		P84094		

	Surface	Recessed	Narrow
	 Surface Mounted P3512	 Recessed P3513	 Surface Mounted Narrow Plate P3514
Without Rod	P3512VB	P3513VB	P3514VB
with 12.5mm Nylon Tip	P3512B	P3513B	P3514B
with 12.5mm 'D' Tip	P3512DB	P3513DB	P3514DB
with 12.5mm Steel Tip	P3512RB	P3513RB	P3514RB
with 12.1mm Nylon Tip	P3512CB	P3513CB	P3514CB

Rod Accessories		
	300mm 'Bent' Rod	P3515
	300mm Rod - Nylon Tip 12.5mm	P3516
	600mm Rod - Nylon Tip 12.5mm	P3517
	300mm Rod - Steel Tip 12.5mm	P3518
	300mm Rod - 'D' Tip 12.5mm	P3521


Black Powdercoat specified above, please check eSHOP for availability of differing 'finish' options eg P or SPEC Powdercoat or SC plated.

	Description	Trade Pack Part Number
	100 x 100x 3MM - BALL BEARING	SY100100BBSS
	100 x 100 x 3MM - FIXED PIN	SY100100FPSS
	100 x 100 x 3MM - LOOSE PIN	SY100100LPSS
	100 x 100 x 3MM BALL BEARING - Radiused corners	SY100100RBBSS
	100 x 70 x 2.5MM - BALL BEARING	SY10070BBFSS
 	100 x 75 x 3MM - BALL BEARING	SY10075BBSS
	100 x 75 x 3MM - FIXED PIN	SY10075FPSS
	100 x 75 x 3MM - LOOSE PIN	SY10075LPSS
	100 x 75 x 3MM - BALL BEARING - Radiused Corners	SY10075RBBSS
	100 x 100 x 3MM - FIXED PIN - SEVERE DUTY - self lubricating	LW10000SDSSS
	100 x 75 x 3MM - FIXED PIN - SEVERE DUTY - self lubricating	LW10075SDSSS




Lockwood Durabolt

	Description	Part Number
	Durabolt inc - Cyl (530), Bolt, Flat Strike, cover Plate	980SC
	Extended Bolt - 260mm	SP980-001
	Diecast strike	SP980-002
	Internal Cover Plate	SP980-003



Lockwood 680

	Description	Part Number
	680 Patio Bolt - Satin Chrome	L680-NSP
	681 Patio Bolt - Brown	L680-NBRN
	Extended Bolt	680-N210BLK
	Case Packer	680-N316



	A - Bolt length	B - Bolt thrown length	C - Bolt unthrown length
Standard bolt	155.5mm	50mm	9.5mm

Yale Patio Bolt

	Description	Trade Part Number	Display Part Number
	Patio Bolt Cyl 4 - BLACK	MC82C4BLKLS	MC82C4BLK
	Patio Bolt Cyl 4 - WHITE	MC82C4WLS	MC82C4W
	Patio Bolt Cyl 4 - BROWN	MC82C4BRLS	MC82C4BR
	Patio Bolt Cyl 4 - SILVER	MC82C4SLS	MC82C4S
images to come	Patio Bolt Cyl 4 - 'P' Powdercoat	MC82C4PLS	
images to come	Patio Bolt Cyl 4 - 'SPEC' Powdercoat	MC82C4SPECLS	
images to come	KA Groups - 102, 162, 435, 498, 762		

Patio Bolt Accessories

	Description	Part Number
	CYL4 KEYING KIT INCLUDING KEY GAUGE	CYL4-400
	Cyl4 - 3 PIN Key Blank	PQ16048

Maximum Security Motorised Safes. Certified Safes come with single override key, and a battery override port.

	Description	Trade Pack Number
	Professional Safe - Exterior dimensions H x W x D: 520 x 350 x 360mm - Interior dimensions H x W x D: 510 x 337 x 290mm - Net weight: 28kg Volume: 49.8 litres	SYSEM/520/EG1
	Home Safe - Exterior dimensions H x W x D: 250 x 350 x 300mm - Interior dimensions H x W x D: 240 x 337 x 230mm - Net weight: 15.7kg Volume: 18.6 litres	SYSEM/250/EG1
	Office Safe - Exterior dimensions H x W x D: 400 x 350 x 340mm - Interior dimensions H x W x D: 390 x 337 x 270mm - Net weight: 22kg Volume: 35.5 litres	SYSEM/400/EG1
	Laptop Safe - Exterior dimensions H x W x D: 200 x 480 x 350mm - Interior dimensions H x W x D: 190 x 467 x 280mm - Net weight: 18kg Volume: 24.8 litres	SYLEM/200/EG1

Yale Certified Deposit Safe

	- External dimension:H x W x D (mm)= 514 x 355 x 355 - Internal dimension:H x W x D (mm)= 225 x 349 x 279 - Net Weight: 30kg - Internal Volume: 22 litres	SYSM/514/EG1/D
---	--	----------------

Document Fire Safe

	Medium - Exterior dimensions H x W x D: 352 x 412 x 363mm - Interior dimensions H x W x D: 260 x 320 x 234mm - Net weight: 31kg Volume: 19.5 litres	SYFM/352/FG2
	Large - Exterior dimensions H x W x D: 420 x 352 x 433mm - Interior dimensions H x W x D: 320 x 260 x 304mm - Net weight: 36kg Volume: 25.3 litres	SYFM/420/FG2
	X-Large - Exterior dimensions H x W x D: 522 x 404 x 440mm - Interior dimensions H x W x D: 410 x 300 x 300mm - Net weight: 53kg Volume: 36.9 litres	SYFM/520/FG2

Guest Safe		
	- Exterior dimensions H x W x D: 200 x 430 x 350mm - Interior dimensions H x W x D: 197 x 427 x 287mm - Net weight: 11.2kg, Volume: 24.1 litres	SYLG/200/DB1
Electronic Home Safe		
	- Exterior dimensions H x W x D: 250 x 350 x 250mm - Interior dimensions H x W x D: 240 x 340 x 200mm - Net weight: 7.8kg Volume: 16 litres	SYSV/250/DB1
Mini Safe		
	Description	Trade Pack Number
	- Exterior dimensions H x W x D: 170 x 230 x 170 mm - Interior dimensions H x W x D: 160 x 220 x 120 mm - Net weight: 3.6kg Volume: 4 litres	Black: SYSV/170/DB1/BK1 Blue: SYSV/170/DB1/BL1 Pink: SYSV/170/DB1/PK1
Key Safe		
	48 Key safe - medium - Exterior dimensions H x W x D: 365 x 300 x 100mm - Interior dimensions H x W x D: 355 x 290 x 50mm - Net weight: 8kg	Medium: SYKB/365/DB1 Large: SYKB/550/DB1
	100 Key safe - large - Exterior dimensions H x W x D: 550 x 350 x 130mm - Interior dimensions H x W x D: 540 x 340 x 80mm - Net weight: 13kg	
Key and Cash Boxes		
	Key Access Exterior dimensions H x W x D: 300 x 240 x 80mm	SY500/187/1
	Key Box - Small Exterior dimensions H x W x D: 200 x 160 x 80mm	SYKB/200/BB2
	Key Box - Medium Exterior dimensions H x W x D: 300 x 240 x 80mm	SYKB/540/BB2
	Combination box-small Exterior dimensions H x W x D: 200 x 160 x 80mm	SYKB/200/CB2
	Combination box-medium Exterior dimensions H x W x D: 300 x 240 x 80mm	SYKB/540/CB2
	Cash Box - Small Exterior dimensions H x W x D: 80 x 152 x 118mm	SYCB/080/BB2
	Cash Box - Medium Exterior dimensions H x W x D: 90 x 200 x 160mm	SYCB/090/BB2

10. Warranty

In addition to other written guarantees, ASSA ABLOY provides a warranty against faulty workmanship and/or materials and any claim on account of quality or condition will be limited to the invoiced value of the product alone and must be made in writing within 30 days of the arrival of the goods under this clause.

For full warranty details, visit www.assaabloy.co.nz/warranties

11. Returned Goods Policy

Goods may only be returned with the prior consent of ASSA ABLOY.

The majority of product lines are made to order and are therefore non-returnable. Stocked product lines may be returned, subject to prior agreement and acceptance by ASSA ABLOY. Non-returnable product includes some non-stocked black product, product ordered in a "P" or "Special" colour, customised product, specially imported products and items with specific keying instructions. Please check with our Customer Services team for more information.

Upon confirmation that goods can be returned, a returned goods number must be obtained from ASSA ABLOY Customer Services. This number must be attached to the returned goods. ASSA ABLOY is unable to process credits unless the goods have a returned goods number.

Goods should be returned to ASSA ABLOY New Zealand Limited, freight paid, fully insured at the purchaser's risk. All returns must be clearly marked with the returned goods number and be accompanied by a copy of the original invoice.

Any return of goods is on the proviso that the goods returned are in the same order and condition as when they were originally despatched by ASSA ABLOY and that the goods are returned within 14 days of the original order being placed.

On all the returns where ASSA ABLOY has despatched the order correctly, a handling fee of up to 25% of the invoice value may be deducted.

Where goods have been in the purchaser's hands for longer than 30 days, the request to return goods to ASSA ABLOY is solely at ASSA ABLOY's discretion, and the credit value of the returned goods will also be at ASSA ABLOY's discretion.

12. Security

- 12.1** All goods and materials supplied are ex Works and risk passes to the buyer after leaving ASSA ABLOY's warehouse door.
- 12.2** The buyer grants ASSA ABLOY a purchase money security interest in inventory, as described by the PPSA, supplied by ASSA ABLOY to the buyer.
- 12.3** The buyer also grants ASSA ABLOY a general security interest in all the buyer's present and after acquired property for any indebtedness the buyer has to ASSA ABLOY from time to time.
- 12.4** ASSA ABLOY may allocate payment of indebtedness for any debt to any consignment of inventory provided to the buyer as ASSA ABLOY sees fit.
- 12.5** In default of payment in full on the due date ASSA ABLOY will have the right immediately to repossess and remove inventory without prejudice to any of ASSA ABLOY's other rights under this Agreement or otherwise, and the buyer hereby irrevocably authorises ASSA ABLOY to enter any premises where inventory may be for such purpose.
- 12.6** Any proceeds of sale of inventory supplied to the buyer by ASSA ABLOY shall be held in trust for ASSA ABLOY. ASSA ABLOY may trace the proceeds of any such sales in accordance with equitable principles.
- 12.7** The buyer acknowledges that ASSA ABLOY has provided inventory to the buyer on credit and the buyer acknowledges that ASSA ABLOY has a security interest in the inventory provided by ASSA ABLOY to the buyer.

13. Notices

Any notices to the buyer may be given by posting the notice to the buyer's last known postal address; emailing it to the buyer's last known email address; or faxing it to the buyer's last known facsimile number.

1. Master Agreement and Application

- 1.1** The parties agree that, pursuant to the Personal Properties Security Act 1999 (PPSA), these conditions of sale:
- (a) will apply to all products and services supplied by ASSA ABLOY New Zealand Limited ("ASSA ABLOY") to the buyer in the future, and that any such products supplied will be described as inventory;
 - (b) will prevail over any inconsistent terms or conditions contained or referred to in the buyer's purchase order or other correspondence, and will supersede all previous written or implied conditions of sale; and
 - (b) may be varied by ASSA ABLOY at any time by notice in writing to the buyer.
- 1.2** The buyer acknowledges that collateral supplied to the buyer by ASSA ABLOY is inventory.
- 1.3** *Variation and improvements to design and printed specifications will continue to be made without notice.*

2. Packing and Freight

- All prices shown include standard freight within New Zealand.
- Requests for urgent/courier delivery will incur a freight charge at cost.
- Any additional packaging required for export despatch will incur extra packaging charges.

3. Claims

Your order should be checked against the packing slip acknowledgement. Except as covered under the warranty clause, claims made seven days, or later, after the receipt of goods will not be recognised or admitted.

4. Proof of Delivery

Buyer must advise the carrier/s and ASSA ABLOY of non-delivery of invoiced goods within 28 days of receipt of invoice; unless such advice is received buyer admits delivery of invoiced goods.

5. Delivery

Split delivery – If only part consignment is delivered advise the carriers and ASSA ABLOY immediately clearly stating what has been delivered and what is missing.

Breakages – Sign 'unexamined'. Unpack without delay and advise the carriers and ASSA ABLOY of any damage or breakages immediately.

6. Delivery Date

Any time or date for despatch provided is an estimate only and ASSA ABLOY shall not be liable for the consequences of any delay.

7. Prices

All prices shown are prices for customers resident within New Zealand only. Prices are subject to alterations at any time without notice. The price charged is that ruling at date of purchase. All published prices are GST exclusive.

8. Payment

All goods and materials supplied are due for settlement in full on 20th of month following invoice date.

9. Remedies

- 9.1** The parties agree to contract out of Part 9 of the PPSA as far as it applies to ASSA ABLOY's rights to withhold delivery of subsequent orders, cancel discounts, and charge for debt collection and recovery costs, without prejudicing any of ASSA ABLOY's other rights under the PPSA or these conditions of sale. On default of payment ASSA ABLOY reserves the right to withhold delivery of all subsequent orders until settlement is received. When payment is late discounts may be cancelled. All debt collection agency fees, charges and debt recovery costs will be added to the amount due.
- 9.2** The buyer waives his or her right to do any of the following:
- (a) To object to ASSA ABLOY's proposal to retain any inventory under section 121 of the PPSA;
 - (b) To receive notice of a removal of an accession under section 129 of the PPSA;
 - (c) To apply to the Court for an order concerning the removal of an accession under section 131 of the PPSA;
 - (d) To redeem any inventory under section 132 of the PPSA; or
 - (e) To receive a copy of the verification statement confirming registration of a financing statement or a financing change statement relating to the security interest caused by this agreement.

ASSA ABLOY PRODUCT FINDER

LOCKSMITHCAT_1021

ASSA ABLOY New Zealand Ltd.
PO Box 100407, North Shore
Auckland 0745

6 Armstrong Road, Albany
Auckland 0632
New Zealand

Within New Zealand:
Tel 09 448 9188
Fax 0800 478 297
www.assaabloy.co.nz

Outside New Zealand:
Tel +64 9 448 9188
Fax +64 9 415 7889
www.assaabloy.co.nz

Experience a safer
and more open world

ASSA ABLOY
Opening Solutions